

هيئة التقييس لدول مجلس التعاون دول الخليج العربية
STANDARDIZATION ORGANIZATION FOR G.C.C (GSO)

مشروع نهائي

GSO 5/FDS : 2016 (E)

**الحدود القصوى لمتبقيات مبيدات الآفات
في المنتجات الزراعية والغذائية**
MAXIMUM LIMITS OF PESTICIDE RESIDUES
IN AGRICULTURAL AND FOOD
PRODUCTS

Prepared by:

Gulf technical committee for sector standards of

Food and agriculture products

This document is a draft Gulf standard circulated for comments, it is therefore, subject to alteration and modification, and may not be referred as a Gulf standard, until approved by the Board of Directors

ICS:65.100

Foreword

GCC Standardization Organization (GSO) is a regional Organization which consists of the National Standards Bodies of GCC member States. One of GSO main functions is to issue Gulf Standards /Technical regulations through specialized technical committees (TCs).

GSO through the technical program of committee TC No 5 "*Gulf technical committee for standards of food and agriculture products*" has updated the "*MAXIMUM LIMITS OF PESTICIDE RESIDUES* /GSO Standard No. 382, 383 :1994 *IN AGRICULTURAL AND FOODPRODUCTS*"- PART 1, 2 . The Draft Standard has been prepared by (*Kingdom of Saudi Arabia*).

This standard has been approved as a Gulf (Technical Regulation) by GSO Board of Directors in its meeting No.(),held on / / H, / /

G. The approved standard will replace and supersede the GSO standard No. 382, 383 :1994

**MAXIMUM LIMITS OF PESTICIDE RESIDUES
IN AGRICULTURAL AND FOOD
PRODUCTS**

**Date of GSO Board of Directors' Approval :
Issuing Status : Technical Regulation**

MAXIMUM LIMITS OF PESTICIDE RESIDUES IN AGRICULTURAL AND FOOD PRODUCTS

1. SCOPE AND FIELD OF APPLICATION

This standard is concerned with maximum limits for the following pesticide residues in or on foods and agricultural commodities.

2. COMPLEMENTARY REFERENCES

- 2.1 GSO Standard on “Sampling for Determination of Pesticide Residues in Food and Agricultural Products”.
- 2.2 GSO Standard on “Methods of Determination of Pesticide Residues in Food and Agricultural Products”.

3. DEFINITIONS

3.1 Acceptable Daily Intake (ADI)

"ADI" of a chemical is the daily intake which, during an entire lifetime, appears to be without appreciable risk to the health of the consumer on the basis of all the known facts at the time of the evaluation of the chemical by the Joint FAO/WHO Meeting on Pesticide Residues. It is expressed in milligrams of the chemical per kilogram of body weight. (Note: For additional information on ADIs relative to pesticide residues refer to the Report of the 1975 Joint FAO/WHO Meeting on Pesticide Residues, FAO Plant Production and Protection Series No.1 or WHO Technical Report Series No. 592).

3.2 Extraneous Maximum Residue Limit (EMRL)

"EMRL" refers to a pesticide residue or a contaminant arising from environmental sources (including former agricultural uses) other than the use of a pesticide or contaminant substance directly or indirectly on the commodity. It is the maximum concentration of a pesticide residue or contaminant that is recommended by the Codex Alimentarius Commission to be legally permitted or recognized as acceptable in or on a food, agricultural commodity, or animal feed. The concentration is expressed in milligrams of pesticide residue or contaminant per kilogram of the commodity.

3.3 Good Agricultural Practice in the Use of Pesticides (GAP)

"GAP" includes the nationally authorised safe uses of pesticides under actual conditions necessary for effective and reliable pest control. It encompasses a range of levels of pesticide applications up to the highest authorised use, applied in a manner which leaves a residue which is the smallest amount practicable. Authorised safe uses are determined at the national level and include nationally registered or recommended uses, which take into account public and occupational health and environmental safety considerations. Actual conditions include any stage in the production, storage, transport, distribution and processing of food commodities and animal feed.

3.4 Limit of Determination (LOD)

"Limit of determination" is the lowest concentration of a pesticide residue or contaminant that can be identified and quantitatively measured in a specified food, agricultural commodity, or animal feed with an acceptable degree of certainty by a regulatory method of analysis.

3.5 Maximum Residue Limit (MRL)

"MRL" is the maximum concentration of a pesticide residue (expressed as mg/kg), recommended by the Codex Alimentarius Commission to be legally permitted in or in food commodities and animal feeds. MRLs are based on GAP data and foods derived from commodities that comply with the respective MRLs are intended to be toxicologically acceptable.

3.6 Pesticide

"Pesticide" means any substance intended for preventing, destroying, attracting, repelling, or controlling any pest including unwanted species of plants or animals during the production, storage, transport, distribution, and processing of food, agricultural commodities, or animal feeds or which may be administered to animals for the control of ectoparasites. The term includes substances intended for use as a plant-growth regulator, defoliant, desiccant, fruit thinning agent, or sprouting inhibitor and substances applied to crops either before or after harvest to protect the commodity from deterioration during storage and transport. The term normally excludes fertilizers, plant and animal nutrients, food additives and animal drugs. (Note: "Agricultural commodities" refers to commodities such as raw cereals, sugar beet, and cottonseed which might not, in the general sense, be considered food).

3.7 Pesticide Residue

"Pesticide residue" means any specified substances in food, agricultural commodities, or animal feed resulting from the use of a pesticide. The term includes any derivatives of a pesticide, such as conversion products, metabolites, reaction products, and impurities considered to be of toxicological significance. (Note: The term "pesticide residue" includes residues from unknown or unavoidable sources (e.g., environmental), as well as known uses of the chemical).

3.8 Temporary Acceptable Daily Intake

"Temporary ADI" is an acceptable daily intake established for a specified, limited period to enable additional biochemical, toxicological or other data to be obtained as may be required for estimating an acceptable daily intake. (Note: A TADI estimated by the Joint FAO/WHO Meeting on Pesticide Residues normally involves the application of a safety factor larger than that used in estimating an ADI).

3.9 Animal feed

Harvested fodder crops, by-products of agricultural crops and other products of plant or animal origin which are used for animal feeding and which are not intended for human consumption.

4. REQUIREMENTS

Pesticide residue limits in or on food, agricultural commodities or animal feeds shall not exceed the limits given against each in the following Tables.

5. SAMPLING

Sampling shall be carried out according to the GSO standard mentioned in 2.2.

6. METHODS OF TESTING

Pesticide residues shall be determined according to the GSO standard to be approved by GSO on “Methods of Test for Pesticides Residues in Agricultural and Food Commodities

SUBSTANCE	COMMODITY	MRL	REMARK
2,4-D – (20) Functional class: Herbicide	Berries and other small fruits	0.1	
	Citrus fruits	1	The MRL accommodates post-harvest treatment of the commodity
	Edible offal (mammalian)	5	
	Eggs	0.01	At or about the limit of determination
	Hay or fodder (dry) of grasses	400	
	Maize	0.05	
	Maize fodder (dry)	40	
	Meat (from mammals other than marine mammals)	0.2	
	Milks	0.01	
	Pome fruits	0.01	At or about the limit of determination
	Potato	0.2	
	Poultry meat	0.05	At or about the limit of determination
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Rice straw and fodder, Dry	10	
	Rice, Husked	0.1	
	Rye	2	
	Sorghum	0.01	At or about the limit of determination
	Soya bean (dry)	0.01	At or about the limit of determination
	Soya bean fodder	0.01	At or about the limit of determination
	Stone fruits	0.05	At or about the limit of determination
	Sugar cane	0.05	
	Sweet corn (corn-on-the-cob)	0.05	At or about the limit of determination
	Tree nuts	0.2	
	Wheat	2	
	Wheat straw and fodder, Dry	100	
2-Phenylphenol –	Citrus fruits	10	The MRL accommodates post-harvest

SUBSTANCE	COMMODITY	MRL	REMARK
(56) Functional class: Fungicide			treatment of the commodity
	Citrus pulp, Dry	60	The MRL accommodates post-harvest treatment of the primary food commodity
	Orange juice	0.5	The MRL accommodates post-harvest treatment of the primary food commodity
	Pear	20	The MRL accommodates post-harvest treatment of the commodity
Abamectin – (177) Functional class: Insecticide	Almond hulls	0.1	
	Almonds	0.01	At or about the limit of determination
	Apple	0.02	
	Cattle fat	0.1	The MRL accommodates external animal treatment
	Cattle kidney	0.05	The MRL accommodates external animal treatment
	Cattle liver	0.1	The MRL accommodates external animal treatment
	Cattle meat	0.01	At or about the limit of determination
	Cattle milk	0.005	
	Citrus fruits	0.01	At or about the limit of determination
	Cotton seed	0.01	At or about the limit of determination
	Cucumber	0.01	
	Goat meat	0.01	At or about the limit of determination
	Goat milk	0.005	
	Goat, Edible offal of	0.1	
	Hops, Dry	0.1	
	Lettuce, Leaf	0.05	
	Melons, except watermelon	0.01	At or about the limit of determination
	Pear	0.02	
	Peppers Chili, dried	0.2	

SUBSTANCE	COMMODITY	MRL	REMARK
	Peppers, Sweet (including pimento or pimiento)	0.02	
	Potato	0.01	At or about the limit of determination
	Squash, summer	0.01	At or about the limit of determination
	Strawberry	0.02	
	Tomato	0.02	
	Walnuts	0.01	At or about the limit of determination
	Watermelon	0.01	At or about the limit of determination
Acephate – (95) Functional class: Insecticide	Artichoke, Globe	0.3	
	Beans, except broad bean and soya bean	5	
	Cabbages, Head	2	
	Cranberry	0.5	
	Cucumber	0.02	
	Edible offal (mammalian)	0.05	
	Eggs	0.01	At or about the limit of determination
	Green Peppers	0.02	
	Meat (from mammals other than marine mammals)	0.05	
	Milks	0.02	
	Peppers Chili, dried	50	
	Poultry fats	0.1	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rice straw and fodder, Dry	0.3	
	Rice, Husked	1	
	Soya bean (dry)	0.3	
	Spices	0.2	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Tomato	1	
Acetamiprid – (246) Functional class: Acaricide	Beans, except broad bean and soya bean	0.4	
	Beans, Shelled	0.3	
	Berries and other small fruits	2	Except grapes and strawberries
	Cabbages, Head	0.7	
	Celery	1.5	
	Cherries (includes all commodities in this subgroup)	1.5	
	Citrus fruits	1	
	Cotton seed	0.7	
	Edible offal (mammalian)	0.05	
	Eggs	0.01	At or about the limit of determination
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	0.4	
	Fruiting vegetables other than cucurbits	0.2	Except sweet corn & mushrooms
	Fruiting vegetables, Cucurbits	0.2	
	Garlic	0.02	
	Grapes	0.5	
	Mammalian fats (except milk fats)	0.02	
	Meat (from mammals other than marine mammals)	0.02	
	Milks	0.02	
	Nectarine	0.7	
	Onion, Bulb	0.02	
	Peach	0.7	
	Peas, Shelled (succulent seeds)	0.3	
	Peppers Chili, dried	2	

SUBSTANCE	COMMODITY	MRL	REMARK
	Plums (including prunes) (includes all commodities in this subgroup)	0.2	Except prunes
	Pome fruits	0.8	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Prunes	0.6	
	Spring Onion	5	
	Strawberry	0.5	
	Tree nuts	0.06	
Aldicarb – (117) Functional class: Insecticide	Barley	0.02	
	Barley straw and fodder, Dry	0.05	
	Beans (dry)	0.1	
	Brussels sprouts	0.1	
	Citrus fruits	0.2	
	Coffee beans	0.1	
	Cotton seed	0.1	
	Cotton seed oil, Edible	0.01	At or about the limit of determination
	Grapes	0.2	
	Maize	0.05	
	Maize fodder (dry)	0.5	
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Onion, Bulb	0.1	
	Peanut	0.02	
	Peanut oil, Edible	0.01	At or about the limit of determination
	Pecan	1	
	Sorghum	0.1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Sorghum straw and fodder, Dry	0.5	
	Soya bean (dry)	0.02	At or about the limit of determination
	Spices, Fruits and Berries	0.07	
	Spices, Roots and Rhizomes	0.02	
	Sugar beet	0.05	At or about the limit of determination
	Sugar cane	0.1	
	Sunflower seed	0.05	At or about the limit of determination
	Sweet potato	0.1	
	Wheat	0.02	
	Wheat straw and fodder, Dry	0.05	
Aldrin and Dieldrin – (1) Functional class: Insecticide	Bulb vegetables	0.05	The MRL is based on extraneous residues
	Cereal grains	0.02	The MRL is based on extraneous residues
	Citrus fruits	0.05	The MRL is based on extraneous residues
	Eggs	0.1	The MRL is based on extraneous residues
	Fruiting vegetables, Cucurbits	0.1	The MRL is based on extraneous residues
	Garden pea, Shelled (succulent seeds)	1	The MRL is based on extraneous residues
	Leafy vegetables	0.05	The MRL is based on extraneous residues
	Legume vegetables	0.05	The MRL is based on extraneous residues
	Meat (from mammals other than marine mammals)	0.2	The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues.
	Milks	0.006	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue

SUBSTANCE	COMMODITY	MRL	REMARK
			Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". The MRL is based on extraneous residues.
	Pome fruits	0.05	The MRL is based on extraneous residues
	Poultry meat	0.2	The MRL is based on extraneous residues
	Pulses	0.05	The MRL is based on extraneous residues
	Root and tuber vegetables	0.1	The MRL is based on extraneous residues
Ametoctradin – (260) Functional class: Fungicide	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	9	
	Celery	20	
	Cucumber	0.4	
	Dried grapes (=currants, raisins and sultanas)	20	
	Eggs	0.03	At or about the limit of determination
	Fruiting vegetables other than cucurbits	1.5	except sweet corn and mushroom
	Fruiting vegetables, Cucurbits	3	except cucumber
	Garlic	1.5	
	Grapes	6	
	Hops, Dry	30	
	Leafy vegetables	50	
	Onion, Bulb	1.5	
	Peppers Chili, dried	15	
	Potato	0.05	
	Poultry fats	0.03	At or about the limit of determination
	Poultry meat	0.03	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry, Edible offal of	0.03	At or about the limit of determination
	Shallot	1.5	
	Spring Onion	20	
Amidosulfuron – (EC number 407-380-0) Pesticide Type: Herbicide	All fruits & vegetables	0.01	
Aminocyclopyrachlor – (272) Functional class: Herbicide	Edible offal (mammalian)	0.3	
	Hay or fodder (dry) of grasses	150	
	Mammalian fats (except milk fats)	0.03	
	Meat (from mammals other than marine mammals)	0.01	
	Milks	0.02	
Aminopyralid – (220) Functional class: Herbicide	Barley	0.1	
	Edible offal (mammalian)	0.05	Except kidney
	Eggs	0.01	At or about the limit of determination
	Fodder (dry) of cereal grains	3	
	Hay or fodder (dry) of grasses	70	
	Kidney of cattle, goats and sheep	1	
	Meat (from mammals other than marine mammals)	0.1	
	Milks	0.02	
	Oats	0.1	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Straw of cereal grains	0.3	
	Triticale	0.1	
	Wheat	0.1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Wheat bran, Unprocessed	0.3	
Amitraz – (122) Functional class: Insecticide	Cattle meat	0.05	The MRL accommodates external animal treatment
	Cherries (includes all commodities in this subgroup)	0.5	
	Cotton seed	0.5	
	Cotton seed oil, Crude	0.05	
	Cucumber	0.5	
	Edible offal of cattle,& sheep	0.2	The MRL accommodates external animal treatment
	Milks	0.01	At or about the limit of determination. The MRL accommodates external animal treatment.
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.5	
	Peach	0.5	
	Pome fruits	0.5	
	Sheep meat	0.1	The MRL accommodates external animal treatment
	Tomato	0.5	
Amitrole – (79) Functional class: Herbicide	Grapes	0.05	
	Pome fruits	0.05	At or about the limit of determination
	Stone fruits	0.05	At or about the limit of determination
Azinphos-ethyl – (EC number 220-147-6) Pesticide Type: Insecticide	All fruits & vegetables	0.02	
Azinphos-Methyl – (2)	Alfalfa fodder	10	
	Almond hulls	5	

SUBSTANCE	COMMODITY	MRL	REMARK
Functional class: Insecticide	Almonds	0.05	
	Apple	0.05	
	Blueberries	5	
	Broccoli	1	
	Cherries (includes all commodities in this subgroup)	2	
	Clover hay or fodder	5	
	Cotton seed	0.2	
	Cranberry	0.1	
	Cucumber	0.2	
	Fruits (except as otherwise listed)	1	
	Melons, except watermelon	0.2	
	Nectarine	2	
	Peach	2	
	Pear	2	
	Pecan	0.3	
	Peppers Chili, dried	10	
	Peppers, Sweet (including pimento or pimienta)	1	
	Plums (including prunes) (includes all commodities in this subgroup)	2	
	Potato	0.05	At or about the limit of determination
	Soya bean (dry)	0.05	At or about the limit of determination
	Spices	0.5	At or about the limit of determination
	Sugar cane	0.2	
	Tomato	1	
	Vegetables (except as otherwise listed)	0.5	
	Walnuts	0.3	

SUBSTANCE	COMMODITY	MRL	REMARK
	Watermelon	0.2	
Azocyclotin – (129) Functional class: Acaricide	Apple	0.2	
	Currants, Black, Red, White	0.1	
	Grapes	0.3	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.2	
	Pear	0.2	
Azoxyastrobin – (229) Functional class: Acaricide	Almond hulls	7	
	Artichoke, Globe	5	
	Asparagus	0.01	At or about the limit of determination
	Banana	2	
	Barley	1.5	
	Berries and other small fruits	5	Except cranberry, grapes and strawberry
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	5	
	Bulb vegetables	10	
	Carambola	0.1	
	Celery	5	
	Citrus fruits	15	
	Coffee beans	0.03	
	Cotton seed	0.7	
	Cranberry	0.5	
	Dried herbs	300	Except hops (dry)
	Edible offal (mammalian)	0.07	
	Eggs	0.01	At or about the limit of determination
	Fruiting vegetables other than cucurbits	3	Except mushrooms and sweet corn

SUBSTANCE	COMMODITY	MRL	REMARK
	Fruiting vegetables, Cucurbits	1	
	Ginseng	0.1	
	Ginseng, dried including red ginseng	0.3	
	Ginseng, extracts	0.5	
	Grapes	2	
	Herbs	70	
	Hops, Dry	30	
	Legume vegetables	3	
	Lettuce, Head	3	
	Lettuce, Leaf	3	
	Maize	0.02	
	Maize fodder (dry)	40	Dry Weight
	Maize oil, Edible	0.1	
	Mango	0.7	
	Meat (from mammals other than marine mammals)	0.05	The MRL/EMRL applies to the fat of meat
	Milk fats	0.03	
	Milks	0.01	
	Oats	1.5	
	Papaya	0.3	
	Pea hay or pea fodder (dry)	20	Dry Weight
	Peanut	0.2	
	Peanut fodder	30	
	Peppers Chili, dried	30	
	Pistachio nuts	1	
	Plantain	2	
	Potato	7	The MRL accommodates post-harvest

SUBSTANCE	COMMODITY	MRL	REMARK
			treatment of the commodity
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Pulses	0.07	Except soya beans
	Rice	5	
	Root and tuber vegetables	1	Except potato
	Rye	0.2	
	Sorghum	10	
	Sorghum straw and fodder, Dry	30	Dry Weight
	Soya bean (dry)	0.5	
	Soya bean fodder	100	
	Stone fruits	2	
	Straw and fodder (dry) of cereal grains	15	Dry Weight Except maize and sorghum
	Strawberry	10	
	Sunflower seed	0.5	
	Tree nuts	0.01	
	Triticale	0.2	
	Wheat	0.2	
	Witloof chicory (sprouts)	0.3	
Benalaxyl – (155) Functional class: Fungicide	Grapes	0.3	
	Lettuce, Head	1	
	Melons, except watermelon	0.3	
	Onion, Bulb	0.02	At or about the limit of determination
	Potato	0.02	At or about the limit of determination
	Tomato	0.2	
	Watermelon	0.1	

SUBSTANCE	COMMODITY	MRL	REMARK
Bentazone – (172) Functional class: Herbicide	Alfalfa fodder	0.5	
	Barley straw and fodder, Dry	0.3	
	Beans (dry)	0.04	
	Beans, except broad bean and soya bean	0.01	At or about the limit of determination Green pods and immature seeds
	Beans, Shelled	0.01	At or about the limit of determination Succulent=immature seeds
	Cereal grains	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Field pea (dry)	1	
	Hay or fodder (dry) of grasses	2	
	Herbs	0.1	
	Linseed	0.02	At or about the limit of determination
	Maize fodder (dry)	0.4	
	Milks	0.01	At or about the limit of determination
	Millet fodder, dry	0.3	
	Oat straw and fodder, Dry	0.3	
	Onion, Bulb	0.04	
	Peanut	0.05	At or about the limit of determination
	Peas (pods and succulent=immature seeds)	1.5	
	Potato	0.1	
	Poultry meat	0.03	The MRL/EMRL applies to the fat of meat
	Poultry, Edible offal of	0.07	
	Rye straw and fodder, Dry	0.3	
	Soya bean (dry)	0.01	At or about the limit of determination
	Spring Onion	0.08	

SUBSTANCE	COMMODITY	MRL	REMARK
	Sweet corn (corn-on-the-cob)	0.01	At or about the limit of determination
	Triticale straw and fodder, Dry	0.3	
	Wheat straw and fodder, Dry	0.3	
Benthivalicarb isopropyl – (EC number –) Pesticide Type: Fungicide	All fruits & vegetables	0.01	Expiration date of accreditation: 31/07/2018
Benzovindiflupyr – (261) Functional class: Fungicide	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Soya bean (dry)	0.05	
Bifenazate – (219) Functional class: Acaricide	Almond hulls	10	
	Beans (dry)	0.3	
	Blackberries	7	
	Cotton seed	0.3	
	Dewberries (including boysenberry and loganberry)	7	
	Dried grapes (=currants, raisins and sultanas)	2	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Fruiting vegetables, Cucurbits	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Grapes	0.7	
	Hops, Dry	20	
	Legume vegetables	7	
	Meat (from mammals other than marine mammals)	0.05	The MRL/EMRL applies to the fat of meat
	Milk fats	0.05	
	Milks	0.01	At or about the limit of determination
	Mints	40	
	Peppers Chili	3	
	Peppers, Sweet (including pimento or pimienta)	2	
	Pome fruits	0.7	
	Poultry meat	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Raspberries, Red, Black	7	
	Stone fruits	2	
	Strawberry	2	
	Tomato	0.5	
	Tree nuts	0.2	
Bifenthrin – (178) Functional class: Insecticide	Banana	0.1	
	Barley	0.05	At or about the limit of determination
	Barley straw and fodder, Dry	0.5	
	Blackberries	1	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.4	
	Citrus fruits	0.05	

SUBSTANCE	COMMODITY	MRL	REMARK
	Cotton seed	0.5	
	Dewberries (including boysenberry and loganberry)	1	
	Edible offal (mammalian)	0.2	
	Egg plant	0.3	
	Hops, Dry	20	
	Maize	0.05	At or about the limit of determination
	Maize fodder (dry)	15	
	Meat (from mammals other than marine mammals)	3	The MRL/EMRL applies to the fat of meat
	Milk fats	3	
	Milks	0.2	
	Mustard greens	4	
	Pea hay or pea fodder (dry)	0.7	
	Peppers	0.5	
	Peppers Chili, dried	5	
	Pulses	0.3	
	Radish leaves (including radish tops)	4	
	Rape seed	0.05	
	Rapeseed oil, Edible	0.1	
	Raspberries, Red, Black	1	
	Root and tuber vegetables	0.05	
	Spices, Fruits and Berries	0.03	
	Spices, Roots and Rhizomes	0.05	
	Strawberry	1	
	Tea, Green, Black (black, fermented and dried)	30	
	Tomato	0.3	

SUBSTANCE	COMMODITY	MRL	REMARK
	Tree nuts	0.05	
	Wheat	0.5	The MRL accommodates post-harvest treatment of the commodity
	Wheat bran, Unprocessed	2	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat germ	1	The MRL accommodates post-harvest treatment of the commodity
Bioresmethrin – (93) Functional class: Insecticide	Wheat	1	The MRL accommodates post-harvest treatment of the commodity
	Wheat bran, Unprocessed	5	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat flour	1	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat germ	3	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat wholemeal	1	The MRL accommodates post-harvest treatment of the primary food commodity
Bitertanol – (144) Functional class: Fungicide	Apricot	1	
	Banana	0.5	
	Barley	0.05	At or about the limit of determination
	Barley straw and fodder, Dry	0.05	At or about the limit of determination
	Cherries (includes all commodities in this subgroup)	1	
	Cucumber	0.5	
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.

SUBSTANCE	COMMODITY	MRL	REMARK
	Milks	0.05	At or about the limit of determination
	Nectarine	1	
	Oat straw and fodder, Dry	0.05	At or about the limit of determination
	Oats	0.05	At or about the limit of determination
	Peach	1	
	Plums (including prunes) (includes all commodities in this subgroup)	2	
	Pome fruits	2	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rye	0.05	At or about the limit of determination
	Rye straw and fodder, Dry	0.05	At or about the limit of determination
	Tomato	3	
	Triticale	0.05	At or about the limit of determination
	Triticale straw and fodder, Dry	0.05	At or about the limit of determination
	Wheat	0.05	At or about the limit of determination
	Wheat straw and fodder, Dry	0.05	At or about the limit of determination
Bixafen – (262) Functional class: Fungicide	Acerola	undefined	
Boscalid – (221) Functional class: Fungicide	Almond hulls	15	
	Apple	2	
	Banana	0.6	
	Barley	0.5	
	Barley straw and fodder, Dry	50	Dry Weight
	Berries and other small fruits	10	Except strawberry and grapes
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage,	5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Flowerhead Brassicas		
	Bulb vegetables	5	
	Cereal grains	0.1	Except barley, oats, rye and wheat
	Citrus fruits	2	
	Citrus oil, edible	50	
	Citrus pulp, Dry	6	
	Coffee beans	0.05	At or about the limit of determination
	Dried grapes (=currants, raisins and sultanas)	10	
	Edible offal (mammalian)	0.2	
	Eggs	0.02	
	Fruiting vegetables other than cucurbits	3	Except fungi, mushroom and sweet corn
	Fruiting vegetables, Cucurbits	3	
	Grapes	5	
	Hops, Dry	60	
	Kiwifruit	5	
	Leafy vegetables	40	
	Legume vegetables	3	
	Meat (from mammals other than marine mammals)	0.7	The MRL/EMRL applies to the fat of meat
	Milk fats	2	
	Milks	0.1	
	Oat straw and fodder, Dry	50	Dry Weight
	Oats	0.5	
	Oilseed	1	
	Peppers Chili, dried	10	
	Pistachio nuts	1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry fats	0.02	
	Poultry meat	0.02	
	Poultry, Edible offal of	0.02	
	Prunes	10	
	Pulses	3	
	Root and tuber vegetables	2	
	Rye	0.5	
	Rye straw and fodder, Dry	50	Dry Weight
	Stalk and Stem Vegetables	30	
	Stone fruits	3	
	Straw and fodder (dry) of cereal grains	5	Dry Weight. Except straw and fodder of barley, oats, rye and wheat.
	Strawberry	3	
	Tree nuts	0.05	At or about the limit of determination. Except pistachio.
	Wheat	0.5	
	Wheat straw and fodder, Dry	50	Dry Weight
Bromuconazole – (EC number 408-060-3) Pesticide Type: Fungicide	All fruits & vegetables	0.05	Expiration date of accreditation: 31/01/2021
Bromide Ion – (47) Functional class: Generic	Avocado	75	
	Broad bean (green pods and immature seeds)	500	
	Broccoli	30	
	Cabbages, Head	100	

SUBSTANCE	COMMODITY	MRL	REMARK
	Celery	300	
	Cereal grains	50	
	Citrus fruits	30	
	Cucumber	100	
	Dates, Dried or dried and candied	100	
	Dried fruits	30	
	Dried grapes (=currants, raisins and sultanas)	100	
	Dried herbs	400	
	Figs, Dried or dried and candied	250	
	Fruits (except as otherwise listed)	20	
	Garden pea (young pods)(=succulent, immature seeds)	500	
	Lettuce, Head	100	
	Okra	200	
	Peach, Dried	50	
	Peppers Chili, dried	200	
	Peppers, Sweet (including pimento or pimienta)	20	
	Prunes (see plums)	20	
	Radish	200	
	Spices	400	
	Squash, summer	200	
	Strawberry	30	
	Tomato	75	
	Turnip greens	1,000	
	Turnip, Garden	200	
	Wheat wholemeal	50	

SUBSTANCE	COMMODITY	MRL	REMARK
Bromopropylate – (70) Functional class: Acaricide	Citrus fruits	2	
	Common bean (pods and/or immature seeds)	3	
	Cucumber	0.5	
	Grapes	2	
	Melons, except watermelon	0.5	
	Plums (including prunes) (includes all commodities in this subgroup)	2	
	Pome fruits	2	
	Squash, summer	0.5	
	Strawberry	2	
Bupirimate – (EC number 255-391-2) Pesticide Type: Fungicide	All fruits & vegetables except tomato	0.05	Expiration date of accreditation: 31/05/2021
	Tomato	2.0	
Buprofezin – (173) Functional class: Insecticide	Almond hulls	2	
	Almonds	0.05	At or about the limit of determination
	Apple	3	
	Banana	0.3	
	Cherries (includes all commodities in this subgroup)	2	
	Citrus fruits	1	
	Citrus pulp, Dry	2	
	Coffee beans	0.4	
	Dried grapes (=currants, raisins and sultanas)	2	
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Fruiting vegetables, Cucurbits	0.7	

SUBSTANCE	COMMODITY	MRL	REMARK
	Grapes	1	
	Mango	0.1	
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Nectarine	9	
	Peach	9	
	Pear	6	
	Peppers	2	
	Peppers Chili	10	
	Peppers Chili, dried	10	
	Plums (including prunes) (includes all commodities in this subgroup)	2	
	Strawberry	3	
	Table Olives	5	
	Tea, green	30	
	Tomato	1	
Cadusafos – (174) Functional class: Insecticide	Banana	0.01	
Captan – (7) Functional class: Fungicide	Almonds	0.3	
	Blueberries	20	
	Cherries (includes all commodities in this subgroup)	25	
	Cucumber	3	
	Dried grapes (=currants, raisins and sultanas)	50	
	Grapes	25	
	Melons, except watermelon	10	

SUBSTANCE	COMMODITY	MRL	REMARK
	Nectarine	3	
	Peach	20	
	Plums (including prunes) (includes all commodities in this subgroup)	10	
	Pome fruits	15	The MRL accommodates post-harvest treatment of the commodity
	Potato	0.05	
	Raspberries, Red, Black	20	
	Spices, Roots and Rhizomes	0.05	
	Strawberry	15	
	Tomato	5	
Carbaryl – (8) Functional class: Insecticide	Almond hulls	50	
	Asparagus	15	
	Beetroot	0.1	
	Carrot	0.5	
	Citrus fruits	15	
	Cranberry	5	
	Egg plant	1	
	Kidney of cattle, goats and sheep	3	
	Liver of cattle, goats and sheep	1	
	Maize	0.02	At or about the limit of determination
	Maize fodder (dry)	250	
	Maize oil, Crude	0.1	
	Meat (from mammals other than marine mammals)	0.05	
	Milks	0.05	
	Olive oil, Virgin	25	
	Peppers Chili	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Peppers Chili, dried	2	
	Peppers, Sweet (including pimento or pimiento)	5	
	Rice bran, Unprocessed	170	
	Rice hulls	50	
	Rice straw and fodder, Dry	120	
	Rice, Polished	1	
	Sorghum	10	The MRL accommodates post-harvest treatment of the commodity The MRL/EMRL is temporary, irrespective of the status of the ADI, until required information has been provided and evaluated
	Sorghum forage (dry)	50	
	Soya bean (dry)	0.2	
	Soya bean fodder	15	
	Soya bean hulls	0.3	
	Soya bean oil, Crude	0.2	
	Spices, Fruits and Berries	0.8	
	Spices, Roots and Rhizomes	0.1	
	Sunflower seed	0.2	
	Sunflower seed oil, crude	0.05	
	Sweet corn (corn-on-the-cob)	0.1	
	Sweet corn cannery waste	7.4	
	Sweet potato	0.02	At or about the limit of determination
	Table Olives	30	
	Tomato	5	
	Tomato juice	3	
	Tomato paste	10	

SUBSTANCE	COMMODITY	MRL	REMARK
	Tree nuts	1	
	Turnip, Garden	1	
	Wheat	2	
	Wheat bran, Unprocessed	2	
	Wheat flour	0.2	
	Wheat germ	1	
	Wheat straw and fodder, Dry	30	
Carbendazim – (72) Functional class: Fungicide	Apricot	2	
	Asparagus	0.2	
	Banana	0.2	
	Barley	0.5	
	Barley straw and fodder, Dry	2	
	Beans (dry)	0.5	
	Berries and other small fruits	1	Except grapes
	Brussels sprouts	0.5	
	Carrot	0.2	
	Cattle meat	0.05	At or about the limit of determination
	Cherries (includes all commodities in this subgroup)	10	
	Chicken fat	0.05	At or about the limit of determination
	Coffee beans	0.1	
	Common bean (pods and/or immature seeds)	0.5	
	Cucumber	0.05	At or about the limit of determination
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Eggs	0.05	At or about the limit of determination
	Garden pea, Shelled (succulent seeds)	0.02	

SUBSTANCE	COMMODITY	MRL	REMARK
	Gherkin	0.05	At or about the limit of determination
	Grapes	3	
	Lettuce, Head	5	
	Mango	5	
	Milks	0.05	At or about the limit of determination
	Nectarine	2	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	1	
	Peach	2	
	Peanut	0.1	At or about the limit of determination
	Peanut fodder	3	
	Peppers Chili	2	
	Peppers Chili, dried	20	
	Pineapple	5	
	Plums (including prunes) (includes all commodities in this subgroup)	0.5	
	Pome fruits	3	
	Poultry meat	0.05	At or about the limit of determination
	Rape seed	0.05	At or about the limit of determination
	Rice straw and fodder, Dry	15	
	Rice, Husked	2	At or about the limit of determination
	Rye	0.1	
	Soya bean (dry)	0.5	
	Soya bean fodder	0.1	
	Spices, Fruits and Berries	0.1	
	Spices, Roots and Rhizomes	0.1	
	Squash, summer	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Sugar beet	0.1	At or about the limit of determination
	Tomato	0.5	
	Tree nuts	0.1	At or about the limit of determination
	Wheat	0.05	At or about the limit of determination
	Wheat straw and fodder, Dry	1	
Carbofuran – (96) Functional class: Insecticide	Banana	0.01	At or about the limit of determination
	Cattle fat	0.05	At or about the limit of determination
	Citrus pulp, Dry	2	Based on the use of carbosulfan
	Coffee beans	1	
	Cotton seed	0.1	
	Edible offal of cattle, goats and sheep	0.05	At or about the limit of determination
	Goat fat	0.05	At or about the limit of determination
	Maize	0.05	At or about the limit of determination. Based on the use of carbosulfan.
	Mandarin	0.5	Based on the use of carbosulfan
	Meat of cattle, goats and sheep	0.05	At or about the limit of determination
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.5	
	Rape seed	0.05	At or about the limit of determination
	Rice straw and fodder, Dry	1	
	Rice, Husked	0.1	
	Sheep fat	0.05	At or about the limit of determination
	Sorghum	0.1	At or about the limit of determination
	Sorghum straw and fodder, Dry	0.5	
	Spices, Roots and Rhizomes	0.1	
	Sugar beet	0.2	Based on the use of carbosulfan

SUBSTANCE	COMMODITY	MRL	REMARK
	Sugar cane	0.1	At or about the limit of determination
	Sunflower seed	0.1	At or about the limit of determination
Carbosulfan – (145) Functional class: Insecticide	Citrus pulp, Dry	0.1	
	Cotton seed	0.05	
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Eggs	0.05	At or about the limit of determination
	Maize	0.05	At or about the limit of determination
	Mandarin	0.1	
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.1	
	Poultry meat	0.05	At or about the limit of determination
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Rice straw and fodder, Dry	0.05	At or about the limit of determination
	Spices, Fruits and Berries	0.07	
	Spices, Roots and Rhizomes	0.1	
	Sugar beet	0.3	
Carboxin – (EC number 226-031-1) Pesticide Type: Fungicide	All fruits	0.05	
	All vegetables	0.1	
Chlorantraniliprole – (230) Functional class:	Alfalfa fodder	50	
	Artichoke, Globe	2	
	Beans, except broad bean and soya bean	0.8	Green pods and immature seeds

SUBSTANCE	COMMODITY	MRL	REMARK
Insecticide	Berries and other small fruits	1	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	2	
	Carrot	0.08	
	Celery	7	
	Cereal grains	0.02	Except rice
	Citrus fruits	0.7	
	Coffee beans	0.05	
	Cotton seed	0.3	
	Edible offal (mammalian)	0.2	
	Eggs	0.2	
	Fruiting vegetables other than cucurbits	0.6	
	Fruiting vegetables, Cucurbits	0.3	
	Hops, Dry	40	
	Leafy vegetables	20	Except radish leaves
	Maize fodder (dry)	25	
	Mammalian fats (except milk fats)	0.2	
	Meat (from mammals other than marine mammals)	0.2	The MRL/EMRL applies to the fat of meat
	Milk fats	0.2	
	Milks	0.05	
	Mints	15	
	Peas (pods and succulent=immature seeds)	2	
	Peas, Shelled (succulent seeds)	0.05	
	Peppers Chili, dried	5	
	Pome fruits	0.4	

SUBSTANCE	COMMODITY	MRL	REMARK
	Pomegranate	0.4	
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination The MRL/EMRL applies to the fat of meat
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Radish	0.5	
	Radish leaves (including radish tops)	40	
	Rape seed	2	
	Rice	0.4	
	Rice, Polished	0.04	
	Root and tuber vegetables	0.02	Except carrot and radish
	Soya bean (dry)	0.05	
	Stone fruits	1	
	Straw and fodder (dry) of cereal grains	0.3	
	Sugar cane	0.5	
	Sunflower seed	2	
	Sweet corn (corn-on-the-cob)	0.01	At or about the limit of determination
	Tree nuts	0.02	
Chlordane – (12) Functional class: Insecticide	Almonds	0.02	The MRL is based on extraneous residues
	Cotton seed oil, Crude	0.05	The MRL is based on extraneous residues
	Eggs	0.02	The MRL is based on extraneous residues
	Fruits and vegetables	0.02	At or about the limit of determination. The MRL is based on extraneous residues.

SUBSTANCE	COMMODITY	MRL	REMARK
	Hazelnuts	0.02	The MRL is based on extraneous residues
	Linseed oil, Crude	0.05	The MRL is based on extraneous residues
	Maize	0.02	The MRL is based on extraneous residues
	Meat (from mammals other than marine mammals)	0.05	The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues.
	Milks	0.002	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". The MRL is based on extraneous residues.
	Oats	0.02	The MRL is based on extraneous residues
	Pecan	0.02	The MRL is based on extraneous residues
	Poultry meat	0.5	The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues.
	Rice, Polished	0.02	The MRL is based on extraneous residues
	Rye	0.02	The MRL is based on extraneous residues
	Sorghum	0.02	The MRL is based on extraneous residues
	Soya bean oil, Crude	0.05	The MRL is based on extraneous residues
	Soya bean oil, Refined	0.02	The MRL is based on extraneous residues
	Walnuts	0.02	The MRL is based on extraneous

SUBSTANCE	COMMODITY	MRL	REMARK
			residues
	Wheat	0.02	The MRL is based on extraneous residues
Chlorfenapyr – (254) Functional class: Insecticide	Acerola	99	
Chloridazon – (EC number 216-920-2) Pesticide Type: Herbicide	All fruits	0.1	Expiration date of accreditation: 31/12/2018
	All vegetables	0.5	
Chlormequat – (15) Functional class: Plant growth regulator	Barley	2	
	Cotton seed	0.5	
	Eggs	0.1	
	Goat meat	0.2	
	Kidney of cattle, goats and sheep	0.5	
	Liver of cattle, goats and sheep	0.1	
	Maize fodder (dry)	7	
	Meat of cattle and sheep	0.2	
	Milk of cattle, goats & sheep	0.5	
	Oats	10	
	Poultry meat	0.04	At or about the limit of determination
	Poultry, Edible offal of	0.1	
	Rape seed	5	
	Rape seed oil, Crude	0.1	At or about the limit of determination
	Rye	3	
	Rye bran, Unprocessed	10	

SUBSTANCE	COMMODITY	MRL	REMARK
	Rye flour	3	
	Rye wholemeal	4	
	Straw and fodder (dry) of cereal grains	30	
	Triticale	3	
	Wheat	3	
	Wheat bran, Unprocessed	10	
	Wheat flour	2	
	Wheat wholemeal	5	
Chlorothalonil – (81) Functional class: Fungicide	Banana	15	
	Brussels sprouts	6	
	Celery	20	
	Chard	50	
	Cherries (includes all commodities in this subgroup)	0.5	
	Common bean (pods and/or immature seeds)	5	
	Cranberry	5	
	Cucumber	3	
	Currants, Black, Red, White	20	
	Edible offal (mammalian)	0.2	
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	5	
	Gherkin	3	
	Gooseberry	20	
	Grapes	3	
	Leek	40	
	Mammalian fats (except milk fats)	0.07	

SUBSTANCE	COMMODITY	MRL	REMARK
	Meat (from mammals other than marine mammals)	0.02	
	Melons, except watermelon	2	
	Milks	0.07	
	Onion, Bulb	0.5	
	Onion, Chinese	10	
	Onion, Welsh	10	
	Papaya	20	
	Peach	0.2	
	Peanut	0.1	
	Peppers Chili, dried	70	
	Peppers, Sweet (including pimento or pimiento)	7	
	Poultry fats	0.01	
	Poultry meat	0.01	
	Poultry skin	0.01	
	Poultry, Edible offal of	0.07	
	Pulses	1	
	Root and tuber vegetables	0.3	
	Spring Onion	10	
	Squash, summer	3	
	Strawberry	5	
	Tomato	5	
Chlorpropham – (201) Functional class: Plant growth regulator	Cattle meat	0.1	The MRL/EMRL applies to the fat of meat
	Cattle, Edible offal of	0.01	At or about the limit of determination
	Milk fats	0.02	
	Milks	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Potato	30	The MRL accommodates post-harvest treatment of the commodity
Chlorpyrifos – (17) Functional class: Insecticide	Alfalfa fodder	5	
	Almonds	0.05	
	Banana	2	
	Broccoli	2	
	Cabbages, Head	1	
	Carrot	0.1	
	Cattle kidney	0.01	
	Cattle liver	0.01	
	Cattle meat	1	The MRL/EMRL applies to the fat of meat
	Cauliflower	0.05	
	Chinese cabbage (type pe-tsai)	1	
	Citrus fruits	1	
	Coffee beans	0.05	
	Common bean (pods and/or immature seeds)	0.01	
	Cotton seed	0.3	
	Cotton seed oil, Edible	0.05	At or about the limit of determination
	Cranberry	1	
	Dried grapes (=currants, raisins and sultanas)	0.1	
	Eggs	0.01	At or about the limit of determination
	Grapes	0.5	
	Maize	0.05	
	Maize fodder (dry)	10	
	Maize oil, Edible	0.2	
	Milk of cattle, goats & sheep	0.02	

SUBSTANCE	COMMODITY	MRL	REMARK
	Onion, Bulb	0.2	
	Peach	0.5	
	Peas (pods and succulent=immature seeds)	0.01	
	Pecan	0.05	At or about the limit of determination
	Peppers Chili, dried	20	
	Peppers, Sweet (including pimento or pimienta)	2	
	Plums (including prunes) (includes all commodities in this subgroup)	0.5	
	Pome fruits	1	
	Potato	2	
	Poultry meat	0.01	The MRL/EMRL applies to the fat of meat
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rice	0.5	
	Sheep meat	1	The MRL/EMRL applies to the fat of meat
	Sheep, Edible offal of	0.01	
	Sorghum	0.5	
	Sorghum straw and fodder, Dry	2	
	Soya bean (dry)	0.1	
	Soya bean oil, Refined	0.03	
	Spices, Fruits and Berries	1	
	Spices, Roots and Rhizomes	1	
	Spices, Seeds	5	
	Strawberry	0.3	
	Sugar beet	0.05	
	Sweet corn (corn-on-the-cob)	0.01	

SUBSTANCE	COMMODITY	MRL	REMARK
	Tea, Green, Black (black, fermented and dried)	2	
	Walnuts	0.05	At or about the limit of determination
	Wheat	0.5	
	Wheat flour	0.1	
	Wheat straw and fodder, Dry	5	
Chlorpyrifos-Methyl – (90) Functional class: Insecticide	Citrus fruits	2	
	Edible offal (mammalian)	0.01	
	Egg plant	1	
	Eggs	0.01	At or about the limit of determination
	Grape pomace, Dry	5	
	Grapes	1	
	Meat (from mammals other than marine mammals)	0.1	The MRL/EMRL applies to the fat of meat
	Milk fats	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Peppers	1	
	Peppers Chili, dried	10	
	Pome fruits	1	
	Potato	0.01	At or about the limit of determination
	Poultry meat	0.01	The MRL/EMRL applies to the fat of meat
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rice	0.1	
	Sorghum	10	The MRL accommodates post-harvest treatment of the commodity
	Spices, Fruits and Berries	0.3	
	Spices, Roots and Rhizomes	5	
	Spices, Seeds	1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Stone fruits	0.5	
	Strawberry	0.06	
	Tomato	1	
	Wheat	10	The MRL accommodates post-harvest treatment of the commodity
	Wheat bran, Unprocessed	20	The MRL accommodates post-harvest treatment of the primary food commodity
Cinidon-Et – (EC number –) Pesticide Type: Herbicide	All fruits & vegetables	0.05	
Clethodim – (187) Functional class: Herbicide	Alfalfa fodder	10	
	Bean fodder	10	
	Beans (dry)	2	
	Beans, except broad bean and soya bean	0.5	At or about the limit of determination
	Cotton seed	0.5	
	Cotton seed oil, Crude	0.5	At or about the limit of determination
	Cotton seed oil, Edible	0.5	At or about the limit of determination
	Edible offal (mammalian)	0.2	At or about the limit of determination
	Eggs	0.05	At or about the limit of determination
	Field pea (dry)	2	
	Fodder beet	0.1	At or about the limit of determination
	Garlic	0.5	
	Meat (from mammals other than marine mammals)	0.2	At or about the limit of determination
	Milks	0.05	At or about the limit of determination
	Onion, Bulb	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Peanut	5	
	Potato	0.5	
	Poultry meat	0.2	At or about the limit of determination
	Poultry, Edible offal of	0.2	At or about the limit of determination
	Rape seed	0.5	
	Rape seed oil, Crude	0.5	At or about the limit of determination
	Rapeseed oil, Edible	0.5	At or about the limit of determination
	Soya bean (dry)	10	
	Soya bean oil, Crude	1	
	Soya bean oil, Refined	0.5	At or about the limit of determination
	Sugar beet	0.1	
	Sunflower seed	0.5	
	Sunflower seed oil, crude	0.1	At or about the limit of determination
	Tomato	1	
Clofentezine – (156) Functional class: Acaricide	Almond hulls	5	
	Citrus fruits	0.5	
	Cucumber	0.5	
	Currants, Black, Red, White	0.2	
	Dried grapes (=currants, raisins and sultanas)	2	
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Eggs	0.05	At or about the limit of determination
	Grapes	2	
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Melons, except watermelon	0.1	
	Milks	0.05	At or about the limit of determination
	Pome fruits	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry meat	0.05	At or about the limit of determination
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Stone fruits	0.5	
	Strawberry	2	
	Tomato	0.5	
	Tree nuts	0.5	
Clomazone – (EC number –) Pesticide Type: Herbicide	All fruits & vegetables	0.01	
Clothianidin – (238) Functional class: Insecticide	Artichoke, Globe	0.05	
	Avocado	0.03	
	Banana	0.02	
	Barley	0.04	
	Barley straw and fodder, Dry	0.2	Dry Weight
	Beans, except broad bean and soya bean	0.2	
	Berries and other small fruits	0.07	Except grapes
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.2	
	Cacao beans	0.02	At or about the limit of determination
	Celery	0.04	
	Citrus fruits	0.07	
	Coffee beans	0.05	
	Dried grapes (=currants, raisins and sultanas)	1	
	Edible offal (mammalian)	0.02	At or about the limit of determination. Except liver.

SUBSTANCE	COMMODITY	MRL	REMARK
	Eggs	0.01	At or about the limit of determination
	Fruiting vegetables other than cucurbits	0.05	Except sweet corn
	Fruiting vegetables, Cucurbits	0.02	At or about the limit of determination
	Grape juice	0.2	
	Grapes	0.7	
	Hops, Dry	0.07	
	Leafy vegetables	2	
	Legume vegetables	0.01	At or about the limit of determination
	Liver of cattle, goats & sheep	0.2	
	Maize	0.02	
	Maize fodder (dry)	0.01	At or about the limit of determination. Dry Weight.
	Mammalian fats (except milk fats)	0.02	At or about the limit of determination
	Mango	0.04	
	Meat (from mammals other than marine mammals)	0.02	At or about the limit of determination
	Milks	0.02	
	Mints	0.3	
	Oilseed	0.02	At or about the limit of determination
	Papaya	0.01	At or about the limit of determination
	Pea hay or pea fodder (dry)	0.2	Dry Weight
	Pecan	0.01	At or about the limit of determination
	Peppers Chili, dried	0.5	
	Pineapple	0.01	At or about the limit of determination
	Pome fruits	0.4	
	Popcorn	0.01	At or about the limit of determination
	Poultry fats	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.1	
	Prunes	0.2	
	Pulses	0.02	
	Rice	0.5	
	Root and tuber vegetables	0.2	
	Sorghum	0.01	At or about the limit of determination
	Sorghum straw and fodder, Dry	0.01	At or about the limit of determination. Dry Weight.
	Stalk and Stem Vegetables	0.04	Except artichoke and celery
	Stone fruits	0.2	
	Sugar cane	0.4	
	Sweet corn (corn-on-the-cob)	0.01	At or about the limit of determination
	Tea, Green, Black (black, fermented and dried)	0.7	
	Wheat	0.02	At or about the limit of determination
	Wheat straw and fodder, Dry	0.2	Dry Weight
Cyantraniliprole – (263) Functional class: Acaricide	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	2	
	Bush berries	4	
	Celery	15	
	Cherries (includes all commodities in this subgroup)	6	
	Coffee beans	0.03	
	Edible offal (mammalian)	0.05	
	Eggs	0.01	
	Fodder beet	0.02	
	Fruiting vegetables other than cucurbits	0.5	Except mushrooms & sweet corn

SUBSTANCE	COMMODITY	MRL	REMARK
	Fruiting vegetables, Cucurbits	0.3	
	Garlic	0.05	
	Leafy vegetables	20	Except Lettuce, Head
	Legume animal feeds	0.8	Dry Weight
	Lettuce, Head	5	
	Mammalian fats (except milk fats)	0.01	
	Meat (from mammals other than marine mammals)	0.01	
	Milks	0.02	
	Onion, Bulb	0.05	
	Onion, Welsh	8	
	Peach	1.5	
	Peppers Chili, dried	5	
	Plums (including prunes) (includes all commodities in this subgroup)	0.5	
	Pome fruits	0.8	
	Potato	0.05	
	Poultry fats	0.01	
	Poultry meat	0.01	
	Poultry, Edible offal of	0.01	
	Prunes	0.8	
	Root and tuber vegetables	0.05	Except potato
	Shallot	0.05	
	Spring Onion	8	
	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	0.2	Dry Weight
	Turnip fodder	0.02	
Cyazofamid – (EC	All fruits & vegetables except	0.01	Expiration date of accreditation:

SUBSTANCE	COMMODITY	MRL	REMARK
number –) Pesticide Type: Fungicide	tomato		31/07/2017
	Tomato	0.6	
Cycloxydim – (179) Functional class: Herbicide	Beans (dry)	30	
	Beans, except broad bean and soya bean	15	Green pods & immature seeds
	Beetroot	0.2	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	9	
	Carrot	5	
	Celeriac	1	
	Edible offal (mammalian)	0.5	
	Eggs	0.15	
	Grapes	0.3	
	Kale, curly	3	
	Leek	4	
	Lettuce, Head	1.5	
	Lettuce, Leaf	1.5	
	Linseed	7	
	Maize	0.2	
	Maize fodder (dry)	2	
	Mammalian fats (except milk fats)	0.1	
	Meat (from mammals other than marine mammals)	0.06	
	Milks	0.02	
	Onion, Bulb	3	
	Peas (dry)	30	
	Peas, Shelled (succulent seeds)	15	

SUBSTANCE	COMMODITY	MRL	REMARK
	Peppers	9	
	Peppers Chili, dried	90	
	Pome fruits	0.09	At or about the limit of determination
	Potato	3	
	Poultry fats	0.03	At or about the limit of determination
	Poultry meat	0.03	At or about the limit of determination
	Poultry, Edible offal of	0.02	
	Rape seed	7	
	Rice	0.09	At or about the limit of determination
	Rice straw and fodder, Dry	0.09	
	Soya bean (dry)	80	
	Stone fruits	0.09	At or about the limit of determination
	Strawberry	3	
	Sugar beet	0.2	
	Sunflower seed	6	
	Swede	0.2	
	Tomato	1.5	
Cyflumetofen – (273) Functional class: Acaricide	Almond hulls	4	
	Citrus fruits	0.3	
	Citrus oil, edible	36	
	Dried grapes (=currants, raisins and sultanas)	1.5	
	Edible offal (mammalian)	0.02	
	Grapes	0.6	
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Milks	0.01	At or about the limit of determination
	Pome fruits	0.4	
	Strawberry	0.6	
	Tomato	0.3	
	Tree nuts	0.01	At or about the limit of determination
Cyfluthrin/beta-cyfluthrin – (157) Functional class: Insecticide	Apple	0.1	
	Cabbages, Head	0.08	
	Cauliflower	2	
	Citrus fruits	0.3	
	Citrus pulp, Dry	2	
	Cotton seed	0.7	
	Cotton seed oil, Crude	1	
	Edible offal (mammalian)	0.02	
	Egg plant	0.2	
	Eggs	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.2	The MRL/EMRL applies to the fat of meat
	Milks	0.01	
	Pear	0.1	
	Peppers	0.2	
	Peppers Chili, dried	1	
	Potato	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rape seed	0.07	
	Soya bean (dry)	0.03	

SUBSTANCE	COMMODITY	MRL	REMARK
	Soya bean fodder	4	
	Spices, Fruits and Berries	0.03	
	Spices, Roots and Rhizomes	0.05	
	Tomato	0.2	
Cyhalothrin (includes lambda-cyhalothrin) – (146) Functional class: Insecticide	Almond hulls	2	
	Apricot	0.5	
	Asparagus	0.02	
	Barley	0.5	
	Berries and other small fruits	0.2	
	Bulb vegetables	0.2	
	Cabbages, Head	0.3	
	Cherries (includes all commodities in this subgroup)	0.3	
	Citrus fruits	0.2	
	Dried grapes (=currants, raisins and sultanas)	0.3	
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	0.5	
	Fruiting vegetables other than cucurbits	0.3	Except mushrooms
	Fruiting vegetables, Cucurbits	0.05	
	Kidney of cattle, goats and sheep	0.2	
	Legume vegetables	0.2	
	Liver of cattle, goats & sheep	0.05	
	Maize	0.02	
	Mango	0.2	
	Meat (from mammals other than marine mammals)	3	The MRL/EMRL applies to the fat of meat
	Milks	0.2	

SUBSTANCE	COMMODITY	MRL	REMARK
	Nectarine	0.5	
	Oats	0.05	
	Oilseed	0.2	
	Peach	0.5	
	Peppers Chili, dried	3	
	Plums (including prunes) (includes all commodities in this subgroup)	0.2	Except prunes
	Pome fruits	0.2	
	Pulses	0.05	
	Rice	1	
	Root and tuber vegetables	0.01	At or about the limit of determination
	Rye	0.05	
	Spices, Fruits and Berries	0.03	
	Spices, Roots and Rhizomes	0.05	
	Straw and fodder (dry) of cereal grains	2	
	Sugar cane	0.05	
	Table Olives	1	
	Tree nuts	0.01	At or about the limit of determination
	Triticale	0.05	
	Wheat	0.05	
	Wheat bran, Unprocessed	0.1	
Cyhexatin – (67) Functional class: Acaricide	Apple	0.2	
	Currants, Black, Red, White	0.1	
	Grapes	0.3	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.2	
	Pear	0.2	

SUBSTANCE	COMMODITY	MRL	REMARK
	Peppers Chili, dried	5	
Cypermethrins (including alpha- and zeta- cypermethrin) – (118) Functional class: Insecticide	Alfalfa fodder	30	
	Artichoke, Globe	0.1	
	Asparagus	0.4	
	Barley	2	The MRL accommodates post-harvest treatment of the commodity
	Bean fodder	2	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	1	
	Carambola	0.2	
	Cereal grains	0.3	Except rice barley, oats, rye and wheat
	Citrus fruits	0.3	Excluding shaddocks or pomelos
	Coffee beans	0.05	At or about the limit of determination
	Dried grapes (=currants, raisins and sultanas)	0.5	
	Durian	1	
	Edible offal (mammalian)	0.05	At or about the limit of determination. The MRL accommodates external animal treatment.
	Egg plant	0.03	
	Eggs	0.01	At or about the limit of determination
	Fruiting vegetables, Cucurbits	0.07	
	Grapes	0.2	
	Leafy vegetables	0.7	
	Leek	0.05	
	Legume vegetables	0.7	
	Litchi	2	
	Longan	1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Mango	0.7	
	Meat (from mammals other than marine mammals)	2	The MRL/EMRL applies to the fat of meat. The MRL accommodates external animal treatment.
	Milk fats	0.5	
	Milks	0.05	The MRL accommodates external animal treatment
	Oats	2	The MRL accommodates post-harvest treatment of the commodity
	Oilseed	0.1	
	Okra	0.5	
	Olive oil, Refined	0.5	
	Olive oil, Virgin	0.5	
	Onion, Bulb	0.01	At or about the limit of determination
	Papaya	0.5	
	Pea hay or pea fodder (dry)	2	
	Peppers Chili	2	
	Peppers Chili, dried	10	
	Peppers, Sweet (including pimento or pimienta)	0.1	
	Pome fruits	0.7	
	Poultry fats	0.1	
	Poultry meat	0.1	The MRL/EMRL applies to the fat of meat
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Pulses	0.05	At or about the limit of determination
	Pummelo and Grapefruits (including Shaddock-like hybrids, among others Grapefruit)	0.5	
	Rice	2	

SUBSTANCE	COMMODITY	MRL	REMARK
	Root and tuber vegetables	0.01	At or about the limit of determination. Except sugar beet.
	Rye	2	The MRL accommodates post-harvest treatment of the commodity
	Spices, Fruits and Berries	0.5	
	Spices, Roots and Rhizomes	0.2	
	Stone fruits	2	
	Straw and fodder (dry) of cereal grains	10	
	Strawberry	0.07	
	Sugar beet	0.1	
	Sugar cane	0.2	
	Sweet corn (corn-on-the-cob)	0.05	At or about the limit of determination
	Table Olives	0.05	At or about the limit of determination
	Tea, Green, Black (black, fermented and dried)	15	
	Tomato	0.2	
	Tree nuts	0.05	At or about the limit of determination
	Wheat	2	The MRL accommodates post-harvest treatment of the commodity
	Wheat bran, Unprocessed	5	The MRL accommodates post-harvest treatment of the primary food commodity
Cyproconazole – (239) Functional class: Herbicide	Beans (dry)	0.02	At or about the limit of determination
	Cereal grains	0.08	Except maize, rice and sorghum
	Coffee beans	0.07	
	Coffee beans, Roasted	0.1	
	Edible offal (mammalian)	0.5	
	Eggs	0.01	At or about the limit of determination
	Maize	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Maize fodder (dry)	2	
	Meat (from mammals other than marine mammals)	0.02	The MRL/EMRL applies to the fat of meat
	Milks	0.01	
	Peas (dry)	0.02	At or about the limit of determination
	Peas, Shelled (succulent seeds)	0.01	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rape seed	0.4	
	Soya bean (dry)	0.07	
	Soya bean fodder	3	
	Soya bean oil, Refined	0.1	
	Straw and fodder (dry) of cereal grains	5	Except maize, rice and sorghum
	Sugar beet	0.05	
Cyprodinil – (207) Functional class: Fungicide	Almond hulls	0.05	At or about the limit of determination
	Almonds	0.02	At or about the limit of determination
	Avocado	1	
	Barley	3	
	Beans (dry)	0.2	
	Beans, except broad bean and soya bean	0.7	Green pods and immature seeds
	Beans, Shelled	0.06	
	Berries and other small fruits	10	Except grapes
	Brassica leafy vegetables	15	
	Cabbages, Head	0.7	
	Carrot	0.7	
	Dried grapes (=currants, raisins and sultanas)	5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Dried herbs	300	Except hops, dry
	Edible offal (mammalian)	0.01	
	Eggs	0.01	At or about the limit of determination
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	2	
	Fruiting vegetables other than cucurbits	2	Except sweet corn and mushroom
	Fruiting vegetables, Cucurbits	0.5	
	Grapes	3	
	Herbs	40	
	Leafy vegetables	50	Except brassica leafy vegetables
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Milks	0.0004	At or about the limit of determination. The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". The MRL is calculated as 4% of the LOQ for milk fat (0.01 mg/kg). Milk fat is the fraction of the milk that is analyzed (JMPR 2003).
	Onion, Bulb	0.3	
	Parsnip	0.7	
	Peppers Chili, dried	9	
	Pome fruits	2	
	Poultry meat	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Prunes	5	
	Radish	0.3	
	Stone fruits	2	
	Straw and fodder (dry) of cereal grains	10	
	Wheat	0.5	
	Wheat bran, Unprocessed	2	
Cyromazine – (169) Functional class: Insecticide	Artichoke, Globe	3	
	Beans (dry)	3	
	Broccoli	1	
	Celery	4	
	Chick-pea (dry)	3	
	Cucumber	2	
	Edible offal (mammalian)	0.3	
	Eggs	0.3	
	Fruiting vegetables other than cucurbits	1	Except mushrooms and sweet corn (corn-on-the-cob)
	Lentil (dry)	3	
	Lettuce, Head	4	
	Lettuce, Leaf	4	
	Lima bean (young pods and/or immature beans)	1	
	Lupin (dry)	3	
	Mango	0.5	
	Meat (from mammals other than marine mammals)	0.3	
	Melons, except watermelon	0.5	
	Milks	0.01	
	Mushrooms	7	

SUBSTANCE	COMMODITY	MRL	REMARK
	Mustard greens	10	
	Onion, Bulb	0.1	
	Peppers Chili, dried	10	
	Poultry meat	0.1	
	Poultry, Edible offal of	0.2	
	Spring Onion	3	
	Squash, summer	2	
DDT – (21) Functional class: Insecticide	Carrot	0.2	The MRL is based on extraneous residues.
	Cereal grains	0.1	The MRL is based on extraneous residues.
	Eggs	0.1	The MRL is based on extraneous residues.
	Meat (from mammals other than marine mammals)	5	The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues.
	Milks	0.02	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". The MRL is based on extraneous residues.
	Poultry meat	0.3	The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues.
Deltamethrin – (135) Functional class: Insecticide	Apple	0.2	
	Carrot	0.02	
	Cereal grains	2	The MRL accommodates post-harvest treatment of the commodity
	Citrus fruits	0.02	

SUBSTANCE	COMMODITY	MRL	REMARK
	Eggs	0.02	At or about the limit of determination
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	0.1	
	Fruiting vegetables, Cucurbits	0.2	
	Grapes	0.2	
	Hazelnuts	0.02	At or about the limit of determination
	Kidney of cattle, goats and sheep	0.03	At or about the limit of determination
	Leafy vegetables	2	
	Leek	0.2	
	Legume vegetables	0.2	
	Liver of cattle, goats & sheep	0.03	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.5	The MRL/EMRL applies to the fat of meat. The MRL accommodates external animal treatment.
	Milks	0.05	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products"
	Mushrooms	0.05	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products"
	Nectarine	0.05	
	Onion, Bulb	0.05	
	Peach	0.05	
	Plums (including prunes) (includes all commodities in this subgroup)	0.05	
	Potato	0.01	At or about the limit of determination
	Poultry meat	0.1	The MRL/EMRL applies to the fat of meat

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry, Edible offal of	0.02	At or about the limit of determination
	Pulses	1	The MRL accommodates post-harvest treatment of the commodity
	Radish	0.01	At or about the limit of determination
	Spices, Fruits and Berries	0.03	
	Spices, Roots and Rhizomes	0.5	
	Strawberry	0.2	
	Sunflower seed	0.05	At or about the limit of determination
	Sweet corn (corn-on-the-cob)	0.02	At or about the limit of determination
	Table Olives	1	
	Tea, Green, Black (black, fermented and dried)	5	
	Tomato	0.3	
	Walnuts	0.02	At or about the limit of determination
	Wheat bran, Unprocessed	5	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat flour	0.3	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat wholemeal	2	The MRL accommodates post-harvest treatment of the primary food commodity
Diazinon – (22) Functional class: Insecticide	Almond hulls	5	
	Almonds	0.05	
	Blackberries	0.1	
	Boysenberry	0.1	
	Broccoli	0.5	
	Cabbages, Head	0.5	
	Cantaloupe	0.2	
	Carrot	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Cherries (includes all commodities in this subgroup)	1	
	Chicken eggs	0.02	At or about the limit of determination
	Chicken meat	0.02	At or about the limit of determination
	Chicken, Edible offal of	0.02	At or about the limit of determination
	Chinese cabbage (type pe-tsai)	0.05	
	Common bean (pods and/or immature seeds)	0.2	
	Cranberry	0.2	
	Cucumber	0.1	
	Currants, Black, Red, White	0.2	
	Garden pea, Shelled (succulent seeds)	0.2	
	Goat meat	2	The MRL/EMRL applies to the fat of meat. The MRL accommodates external animal treatment.
	Hops, Dry	0.5	
	Kale (including: Collards, Curly, Scotch, thousand-headed kale; not including Marrow-stem kale)	0.05	
	Kidney of cattle, goats, and sheep	0.03	The MRL accommodates external animal treatment
	Kiwifruit	0.2	
	Kohlrabi	0.2	
	Lettuce, Head	0.5	
	Lettuce, Leaf	0.5	
	Liver of cattle, goats & sheep	0.03	The MRL accommodates external animal treatment
	Maize	0.02	At or about the limit of determination
	Meat of cattle & sheep	2	The MRL/EMRL applies to the fat of meat.

SUBSTANCE	COMMODITY	MRL	REMARK
			The MRL accommodates external animal treatment.
	Milks	0.02	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". The MRL accommodates external animal treatment.
	Onion, Bulb	0.05	
	Peach	0.2	
	Peppers Chili, dried	0.5	
	Peppers, Sweet (including pimento or pimienta)	0.05	
	Pineapple	0.1	
	Plums (including prunes) (includes all commodities in this subgroup)	1	
	Pome fruits	0.3	
	Potato	0.01	At or about the limit of determination
	Prunes	2	
	Radish	0.1	
	Raspberries, Red, Black	0.2	
	Spices, Fruits and Berries	0.1	At or about the limit of determination
	Spices, Roots and Rhizomes	0.5	
	Spices, Seeds	5	
	Spinach	0.5	
	Spring Onion	1	
	Squash, summer	0.05	
	Strawberry	0.1	
	Sugar beet	0.1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Sweet corn (corn-on-the-cob)	0.02	
	Tomato	0.5	
	Walnuts	0.01	At or about the limit of determination
Dicamba – (240) Functional class: Herbicide	Asparagus	5	
	Barley	7	
	Barley straw and fodder, Dry	50	
	Cotton seed	0.04	At or about the limit of determination
	Edible offal (mammalian)	0.7	
	Eggs	0.01	At or about the limit of determination
	Hay or fodder (dry) of grasses	30	
	Maize	0.01	At or about the limit of determination
	Maize fodder (dry)	0.6	
	Mammalian fats (except milk fats)	0.07	
	Meat (from mammals other than marine mammals)	0.03	
	Milks	0.2	
	Poultry fats	0.04	
	Poultry meat	0.02	
	Poultry, Edible offal of	0.07	
	Sorghum	4	
	Sorghum straw and fodder, Dry	8	
	Soybean (dry)	10	
	Sugar cane	1	
	Sweet corn (kernels)	0.02	
	Wheat	2	
	Wheat straw and fodder, Dry	50	
Dichlobenil – (274)	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.05	

SUBSTANCE	COMMODITY	MRL	REMARK
Functional class: Herbicide	Cane berries	0.2	
	Celery	0.07	
	Cereal grains	0.01	At or about the limit of determination
	Dried grapes (=currants, raisins and sultanas)	0.15	
	Edible offal (mammalian)	0.04	
	Eggs	0.03	
	Fruiting vegetables other than cucurbits	0.01	At or about the limit of determination. Except sweetcorn and mushrooms.
	Fruiting vegetables, Cucurbits	0.01	At or about the limit of determination
	Grape juice	0.07	
	Grapes	0.05	
	Leafy vegetables	0.3	
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Onion, Bulb	0.01	At or about the limit of determination
	Onion, Welsh	0.02	
	Peppers Chili, dried	0.01	At or about the limit of determination
	Poultry fats	0.02	
	Poultry meat	0.03	
	Poultry, Edible offal of	0.1	
	Pulses	0.01	At or about the limit of determination
	Straw and fodder (dry) of cereal grains	0.4	
Dichlofluanid – (82)	Apple	5	
	Cucumber	5	

SUBSTANCE	COMMODITY	MRL	REMARK
Functional class: Fungicide	Currants, Black, Red, White	15	
	Gooseberry	7	
	Grapes	15	
	Lettuce, Head	10	
	Onion, Bulb	0.1	
	Peach	5	
	Pear	5	
	Peppers	2	
	Peppers Chili, dried	20	
	Potato	0.1	
	Raspberries, Red, Black	15	
	Strawberry	10	
	Tomato	2	
Dichloran – (83) Functional class: Fungicide	Carrot	15	The MRL accommodates post-harvest treatment of the commodity
	Grapes	7	
	Nectarine	7	The MRL accommodates post-harvest treatment of the commodity
	Onion, Bulb	0.2	
	Peach	7	The MRL accommodates post-harvest treatment of the commodity
Dichlorvos – (25) Functional class: Insecticide	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Poultry fats	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rice	7	
	Rice bran, Unprocessed	15	The MRL accommodates post-harvest treatment of the primary food commodity
	Rice, Husked	1.5	The MRL accommodates post-harvest treatment of the primary food commodity
	Rice, Polished	0.15	The MRL accommodates post-harvest treatment of the primary food commodity
	Spices	0.1	At or about the limit of determination
	Wheat	7	The MRL accommodates post-harvest treatment of the commodity
	Wheat bran, Unprocessed	15	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat flour	0.7	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat wholemeal	3	The MRL accommodates post-harvest treatment of the primary food commodity
Dicofol – (26) Functional class: Acaricide	Spices, Fruits and Berries	0.1	
	Spices, Roots and Rhizomes	0.1	
	Spices, Seeds	0.05	At or about the limit of determination
	Tea, Green, Black (black, fermented and dried)	40	DDT may be present in tea as a result of its presence as a contaminant in the technical grade dicofol
Difenoconazole – (224) Functional class:	Asparagus	0.03	
	Banana	0.1	
	Beans, except broad bean and soya bean	0.7	

SUBSTANCE	COMMODITY	MRL	REMARK
Fungicide	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	2	
	Carrot	0.2	
	Celeriac	0.5	
	Celery	3	
	Cherries (includes all commodities in this subgroup)	0.2	
	Citrus fruits	0.6	
	Cucumber	0.2	
	Dried grapes (=currants, raisins and sultanas)	6	
	Edible offal (mammalian)	1.5	
	Eggs	0.03	
	Fruiting vegetables other than cucurbits	0.6	Except sweet corn and mushroom
	Garlic	0.02	At or about the limit of determination
	Gherkin	0.2	
	Ginseng	0.08	
	Ginseng, dried including red ginseng	0.2	
	Ginseng, extracts	0.6	
	Grapes	3	
	Leek	0.3	
	Lettuce, Head	2	
	Lettuce, Leaf	2	
	Mango	0.07	
	Meat (from mammals other than marine mammals)	0.2	The MRL/EMRL applies to the fat of meat

SUBSTANCE	COMMODITY	MRL	REMARK
	Melons, except watermelon	0.7	
	Milks	0.02	
	Nectarine	0.5	
	Onion, Bulb	0.1	
	Papaya	0.2	
	Passion fruit	0.05	
	Peach	0.5	
	Peas (pods and succulent=immature seeds)	0.7	
	Peppers Chili, dried	5	
	Plums (including prunes) (includes all commodities in this subgroup)	0.2	
	Pome fruits	0.8	
	Potato	4	The MRL accommodates post-harvest treatment of the commodity
	Poultry meat	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rape seed	0.05	
	Soya bean (dry)	0.02	At or about the limit of determination
	Spring Onion	9	
	Squash, summer	0.2	
	Sugar beet	0.2	
	Sunflower seed	0.02	
	Table Olives	2	
	Tree nuts	0.03	
	Wheat	0.02	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Wheat straw and fodder, Dry	3	
Diflubenzuron – (130) Functional class: Insecticide	Barley	0.05	At or about the limit of determination
	Citrus fruits	0.5	
	Edible offal (mammalian)	0.1	At or about the limit of determination
	Eggs	0.05	At or about the limit of determination
	Hay or fodder (dry) of grasses	3	
	Meat (from mammals other than marine mammals)	0.1	The MRL/EMRL applies to the fat of meat
	Milks	0.02	At or about the limit of determination. The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
	Mushrooms	0.3	
	Mustard greens	10	
	Nectarine	0.5	
	Oats	0.05	At or about the limit of determination
	Peach	0.5	
	Peanut	0.1	
	Peanut fodder	40	
	Peppers Chili	3	
	Peppers Chili, dried	20	
	Peppers, Sweet (including pimento or pimiento)	0.7	
	Plums (including prunes) (includes all commodities in this subgroup)	0.5	
	Pome fruits	5	
	Poultry meat	0.05	At or about the limit of determination. The MRL/EMRL applies to the fat of

SUBSTANCE	COMMODITY	MRL	REMARK
			meat.
	Rice	0.01	At or about the limit of determination
	Rice straw and fodder, Dry	0.7	
	Straw and fodder (dry) of cereal grains	1.5	
	Tree nuts	0.2	
	Triticale	0.05	At or about the limit of determination
	Wheat	0.05	At or about the limit of determination
Diflufenican – (EC number –) Pesticide Type: Herbicide	All fruits & vegetables	0.01	Expiration date of accreditation: 31/12/2018
Dimethaclor – (EC number 256-625-6) Pesticide Type: Herbicide	All fruits & vegetables	0.02	Expiration date of accreditation: 31/12/2019
Dimethenamid-P – (214) Functional class: Herbicide	Bean fodder	0.01	At or about the limit of determination
	Beans (dry)	0.01	At or about the limit of determination
	Beetroot	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Fodder beet	0.01	At or about the limit of determination
	Garlic	0.01	At or about the limit of determination
	Maize	0.01	At or about the limit of determination
	Maize fodder (dry)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Onion, Bulb	0.01	At or about the limit of determination
	Peanut	0.01	At or about the limit of determination
	Peanut fodder	0.01	At or about the limit of determination
	Potato	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Shallot	0.01	At or about the limit of determination
	Sorghum	0.01	At or about the limit of determination
	Sorghum straw and fodder, Dry	0.01	At or about the limit of determination
	Soya bean (dry)	0.01	At or about the limit of determination
	Sugar beet	0.01	At or about the limit of determination
	Sweet corn (corn-on-the-cob)	0.01	At or about the limit of determination
	Sweet potato	0.01	At or about the limit of determination
Dimethipin – (151) Functional class: Plant growth regulator	Cotton seed	1	
	Cotton seed oil, Crude	0.1	
	Cotton seed oil, Edible	0.1	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Potato	0.05	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rape seed	0.2	
	Sunflower seed	1	
Dimethoate – (27)	Artichoke, Globe	0.05	

SUBSTANCE	COMMODITY	MRL	REMARK
Functional class: Insecticide	Asparagus	0.05	At or about the limit of determination
	Barley	2	
	Brussels sprouts	0.2	
	Cabbage, Savoy	0.05	At or about the limit of determination
	Cattle, Edible offal of	0.05	At or about the limit of determination
	Cauliflower	0.2	
	Celery	0.5	
	Cherries (includes all commodities in this subgroup)	2	
	Citrus fruits	5	Excluding kumquats
	Eggs	0.05	At or about the limit of determination
	Lettuce, Head	0.3	
	Mammalian fats (except milk fats)	0.05	At or about the limit of determination
	Mango	1	The MRL accommodates post-harvest treatment of the commodity
	Meat of cattle, goats & sheep	0.05	At or about the limit of determination
	Milk of cattle, goats & sheep	0.05	At or about the limit of determination
	Pear	1	
	Peas (pods and succulent=immature seeds)	1	
	Peppers Chili, dried	3	
	Peppers, Sweet (including pimento or pimienta)	0.5	
	Potato	0.05	
	Poultry fats	0.05	At or about the limit of determination.
	Poultry meat	0.05	At or about the limit of determination.
	Poultry, Edible offal of	0.05	At or about the limit of determination.
	Sheep, Edible offal of	0.05	At or about the limit of determination.

SUBSTANCE	COMMODITY	MRL	REMARK
	Spices, Fruits and Berries	0.5	
	Spices, Roots and Rhizomes	0.1	At or about the limit of determination.
	Spices, Seeds	5	
	Sugar beet	0.05	
	Table Olives	0.5	
	Turnip greens	1	
	Turnip, Garden	0.1	
	Wheat	0.05	
	Wheat straw and fodder, Dry	1	
Dimethomorph – (225) Functional class: Fungicide	Artichoke, Globe	2	
	Beans, Shelled	0.7	
	Broccoli	4	
	Cabbages, Head	6	
	Celery	15	
	Corn salad	10	
	Dried grapes (=currants, raisins and sultanas)	5	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Fruiting vegetables other than cucurbits	1.5	
	Fruiting vegetables, Cucurbits	0.5	
	Garlic	0.6	
	Grapes	3	
	Hops, Dry	80	
	Kohlrabi	0.02	
	Leek	0.8	

SUBSTANCE	COMMODITY	MRL	REMARK
	Lettuce, Head	10	
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Onion, Bulb	0.6	
	Onion, Welsh	9	
	Peas, Shelled (succulent seeds)	0.15	
	Peppers Chili, dried	5	
	Pineapple	0.01	At or about the limit of determination
	Potato	0.05	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Shallot	0.6	
	Spinach	30	
	Spring Onion	9	
	Strawberry	0.5	
	Taro leaves	10	
Dinocap – (87) Functional class: Fungicide	Apple	0.2	
	Cucumber	0.7	
	Fruiting vegetables, Cucurbits	0.05	At or about the limit of determination
	Grapes	0.5	
	Melons, except watermelon	0.5	
	Peach	0.1	
	Peppers	0.2	
	Peppers Chili, dried	2	
	Squash, summer	0.07	
	Strawberry	0.5	Except glasshouse-grown strawberry

SUBSTANCE	COMMODITY	MRL	REMARK
	Tomato	0.3	
Dinotefuran – (255) Functional class: Insecticide	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	2	
	Celery	0.6	
	Cotton seed	0.2	
	Cranberry	0.15	
	Dried grapes (=currants, raisins and sultanas)	3	
	Edible offal (mammalian)	0.1	
	Eggs	0.02	At or about the limit of determination
	Fruiting vegetables other than cucurbits	0.5	Except sweet corn and mushrooms
	Fruiting vegetables, Cucurbits	0.5	
	Grapes	0.9	
	Leafy vegetables	6	Except watercress
	Meat (from mammals other than marine mammals)	0.1	
	Milks	0.1	
	Nectarine	0.8	
	Onion, Bulb	0.1	
	Peach	0.8	
	Peppers Chili, dried	5	
	Poultry meat	0.02	At or about the limit of determination
	Poultry, Edible offal of	0.02	At or about the limit of determination
	Rice	8	
	Rice straw and fodder, Dry	6	
	Rice, Polished	0.3	
	Spring Onion	4	

SUBSTANCE	COMMODITY	MRL	REMARK
	Watercress	7	
Diphenylamine – (30) Functional class: Storage scald preventer	Apple	10	The MRL accommodates post-harvest treatment of the commodity
	Apple juice	0.5	The MRL accommodates post-harvest treatment of the primary food commodity
	Cattle kidney	0.01	At or about the limit of determination
	Cattle liver	0.05	
	Cattle meat	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Milk fats	0.01	
	Milks	0.01	At or about the limit of determination
	Pear	5	The MRL accommodates post-harvest treatment of the commodity
Diquat – (31) Functional class: Herbicide	Banana	0.02	At or about the limit of determination
	Barley	5	
	Beans (dry)	0.2	
	Cajou (pseudofruit)	0.02	At or about the limit of determination
	Cashew apple	0.02	At or about the limit of determination
	Cashew nut	0.02	At or about the limit of determination
	Citrus fruits	0.02	At or about the limit of determination
	Coffee beans	0.02	At or about the limit of determination
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Eggs	0.05	At or about the limit of determination
	Fruiting vegetables other than cucurbits	0.01	At or about the limit of determination. Except sweetcorn, fungi and mushrooms.
	Lentil (dry)	0.2	
	Meat (from mammals other than	0.05	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	marine mammals)		
	Milks	0.01	At or about the limit of determination
	Oats	2	
	Pea hay or pea fodder (dry)	50	
	Peas (dry)	0.3	
	Pome fruits	0.02	At or about the limit of determination
	Potato	0.1	
	Poultry meat	0.05	At or about the limit of determination
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Rape seed	1.5	
	Soybean (dry)	0.3	
	Stone fruits	0.02	At or about the limit of determination
	Strawberry	0.05	At or about the limit of determination
	Sunflower seed	0.9	
	Wheat	2	
	Wheat bran, Unprocessed	2	
	Wheat flour	0.5	
	Wheat wholemeal	2	
Disulfoton – (74) Functional class: Insecticide	Alfalfa fodder	5	Dry Weight
	Asparagus	0.02	At or about the limit of determination
	Barley	0.2	
	Barley straw and fodder, Dry	3	
	Beans (dry)	0.2	
	Chicken eggs	0.02	At or about the limit of determination
	Clover hay or fodder	10	
	Coffee beans	0.2	

SUBSTANCE	COMMODITY	MRL	REMARK
	Common bean (pods and/or immature seeds)	0.2	
	Cotton seed	0.1	
	Garden pea (young pods)(=succulent, immature seeds)	0.1	
	Garden pea, Shelled (succulent seeds)	0.02	At or about the limit of determination
	Maize	0.02	
	Maize fodder (dry)	3	
	Milk of cattle, goats & sheep	0.01	
	Oat straw and fodder, Dry	0.05	
	Oats	0.02	At or about the limit of determination
	Peanut	0.1	
	Pecan	0.1	
	Pineapple	0.1	
	Poultry meat	0.02	At or about the limit of determination
	Spices	0.05	At or about the limit of determination
	Sugar beet	0.2	
	Sweet corn (corn-on-the-cob)	0.02	At or about the limit of determination
	Sweet corn (kernels)	0.02	At or about the limit of determination
	Wheat	0.2	
	Wheat straw and fodder, Dry	5	
Dithianon – (180) Functional class: Fungicide	Almonds	0.05	At or about the limit of determination
	Currants, Black, Red, White	2	
	Dried grapes (=currants, raisins and sultanas)	3.5	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Hops, Dry	300	
	Mandarin	3	
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Pome fruits	1	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Pummelo and Grapefruits (including Shaddock-like hybrids, among others Grapefruit)	3	
	Stone fruits	2	
	Table-grapes	2	
	Wine-grapes	5	
Dithiocarbamates – (105) Functional class: Fungicide	Almond hulls	20	
	Almonds	0.1	At or about the limit of determination
	Asparagus	0.1	
	Banana	2	
	Barley	1	
	Barley straw and fodder, Dry	25	
	Cabbages, Head	5	
	Cardamom	0.1	
	Carrot	1	
	Cherries (includes all commodities in this subgroup)	0.2	
	Coriander, seed	0.1	
	Cos lettuce	10	
	Cranberry	5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Cucumber	2	
	Cumin seed	10	
	Currants, Black, Red, White	10	
	Edible offal (mammalian)	0.1	
	Eggs	0.05	At or about the limit of determination
	Fennel, seed	0.1	
	Garlic	0.5	
	Ginseng	0.3	
	Ginseng, dried including red ginseng	1.5	
	Grapes	5	
	Hops, Dry	30	
	Kale (including: Collards, Curly, Scotch, thousand-headed kale; not including Marrow-stem kele)	15	
	Leek	0.5	
	Lettuce, Head	0.5	
	Maize fodder (dry)	2	
	Mandarins ((including Mandarin-like hybrids)	10	
	Mango	2	
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Melons, except watermelon	0.5	
	Milks	0.05	At or about the limit of determination
	Onion, Bulb	0.5	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	2	
	Papaya	5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Peanut	0.1	At or about the limit of determination
	Peanut fodder	5	
	Pecan	0.1	At or about the limit of determination
	Pepper, Black; White	0.1	
	Peppers Chili, dried	20	
	Peppers, Sweet (including pimento or pimiento)	1	
	Pome fruits	5	
	Potato	0.2	
	Poultry meat	0.1	
	Poultry, Edible offal of	0.1	
	Pumpkins	0.2	
	Spring Onion	10	
	Squash, summer	1	
	Stone fruits	7	
	Strawberry	5	
	Sugar beet	0.5	
	Sweet corn (corn-on-the-cob)	0.1	At or about the limit of determination
	Tomato	2	
	Watermelon	1	
	Wheat	1	
	Wheat straw and fodder, Dry	25	
	Winter squash	0.1	
Diuron – (EC number 206-354-4) Pesticide Type:	All fruits & vegetables	0.01	Expiration date of accreditation: 30/09/2018

SUBSTANCE	COMMODITY	MRL	REMARK
Herbicide			
Dodine – (84) Functional class: Fungicide	Cherries (includes all commodities in this subgroup)	3	
	Nectarine	5	
	Peach	5	
	Pome fruits	5	
Emamectin benzoate – (247) Functional class: Insecticide	Beans, except broad bean and soya bean	0.01	
	Cos lettuce	0.7	
	Cotton seed	0.002	At or about the limit of determination
	Edible offal (mammalian)	0.08	
	Fruiting vegetables other than cucurbits	0.02	Except sweet corn and mushrooms
	Fruiting vegetables, Cucurbits	0.007	
	Grapes	0.03	
	Lettuce, Head	1	
	Lettuce, Leaf	0.7	
	Mammalian fats (except milk fats)	0.02	
	Meat (from mammals other than marine mammals)	0.004	
	Milks	0.002	
	Mustard greens	0.2	
	Nectarine	0.03	
	Peach	0.03	
	Peppers Chili, dried	0.2	
	Pome fruits	0.02	
	Rape seed	0.005	At or about the limit of determination
	Tree nuts	0.001	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
Endosulfan – (32) Functional class: Insecticide	Avocado	0.5	
	Cacao beans	0.2	
	Coffee beans	0.2	
	Cotton seed	0.3	
	Cucumber	1	
	Custard apple	0.5	
	Egg plant	0.1	
	Eggs	0.03	At or about the limit of determination.
	Hazelnuts	0.02	At or about the limit of determination.
	Kidney of cattle, goats and sheep	0.03	At or about the limit of determination.
	Litchi	2	
	Liver of cattle, goats & sheep	0.1	
	Macadamia nuts	0.02	At or about the limit of determination.
	Mango	0.5	
	Meat (from mammals other than marine mammals)	0.2	The MRL/EMRL applies to the fat of meat.
	Melons, except watermelon	2	
	Milk fats	0.1	
	Milks	0.01	
	Papaya	0.5	
	Persimmon, American	2	
	Potato	0.05	At or about the limit of determination.
	Poultry meat	0.03	At or about the limit of determination.
	Poultry, Edible offal of	0.03	At or about the limit of determination.
	Soya bean (dry)	1	
	Soya bean oil, Crude	2	
	Spices, Fruits and Berries	5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Spices, Roots and Rhizomes	0.5	
	Spices, Seeds	1	
	Squash, summer	0.5	
	Sweet potato	0.05	At or about the limit of determination.
	Tea, Green, Black (black, fermented and dried)	10	
	Tomato	0.5	
Endrin – (33) Functional class: Insecticide	Fruiting vegetables, Cucurbits	0.05	The MRL is based on extraneous residues
	Poultry meat	0.1	The MRL is based on extraneous residues
Epoxiconazole – (EC number 406-850-2) Pesticide Type: Fungicide	All fruits & vegetables	0.05	Expiration date of accreditation: 30/04/2019
Esfenvalerate – (204) Functional class: Insecticide	Cotton seed	0.05	
	Eggs	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rape seed	0.01	At or about the limit of determination
	Tomato	0.1	
	Wheat	0.05	
	Wheat straw and fodder, Dry	2	
Ethephon – (106) Functional class: Plant growth	Apple	5	
	Barley	1	
	Barley straw and fodder, Dry	5	

SUBSTANCE	COMMODITY	MRL	REMARK
regulator	Blueberries	20	
	Cantaloupe	1	
	Cherries (includes all commodities in this subgroup)	10	
	Chicken eggs	0.2	At or about the limit of determination
	Cotton seed	2	
	Dried grapes (=currants, raisins and sultanas)	5	
	Edible offal of cattle, goats & sheep	0.2	At or about the limit of determination
	Figs, Dried or dried and candied	10	
	Grapes	1	
	Hazelnuts	0.2	
	Meat of cattle, goats & sheep	0.1	At or about the limit of determination
	Milk of cattle, goats & sheep	0.05	At or about the limit of determination
	Peppers	5	
	Peppers Chili, dried	50	
	Pineapple	2	
	Poultry meat	0.1	At or about the limit of determination
	Poultry, Edible offal of	0.2	At or about the limit of determination
	Rye	1	
	Rye straw and fodder, Dry	5	
	Tomato	2	
	Walnuts	0.5	
	Wheat	1	
	Wheat straw and fodder, Dry	5	
Ethion – (34)	Spices, Fruits and Berries	5	
Functional class:	Spices, Roots and Rhizomes	0.3	

SUBSTANCE	COMMODITY	MRL	REMARK
Insecticide	Spices, Seeds	3	
Ethoprophos – (149) Functional class: Insecticide	Banana	0.02	
	Cucumber	0.01	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Melons, except watermelon	0.02	
	Milks	0.01	At or about the limit of determination
	Peppers Chili, dried	0.2	
	Peppers, Sweet (including pimento or pimienta)	0.05	
	Potato	0.05	
	Strawberry	0.02	At or about the limit of determination
	Sugar cane	0.02	
	Sugar cane fodder	0.02	At or about the limit of determination
	Sweet potato	0.05	
	Tomato	0.01	At or about the limit of determination
	Turnip, Garden	0.02	At or about the limit of determination
Ethoxyquin – (35) Functional class: Scald control agent	Pear	3	The MRL accommodates post-harvest treatment of the commodity
	Pear	3	The MRL accommodates post-harvest treatment of the commodity
Etofenprox – (184) Functional class: Insecticide	Apple	0.6	
	Beans (dry)	0.05	
	Dried grapes (=currants, raisins and sultanas)	8	
	Edible offal (mammalian)	0.05	
	Eggs	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Grapes	4	
	Maize	0.05	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.5	The MRL/EMRL applies to the fat of meat
	Milks	0.02	
	Nectarine	0.6	
	Peach	0.6	
	Pear	0.6	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rape seed	0.01	At or about the limit of determination
	Rice	0.01	At or about the limit of determination
	Rice straw and fodder, Dry	0.05	
Etoxazole – (241) Functional class: Insecticide	Almond hulls	3	
	Citrus fruits	0.1	
	Cucumber	0.02	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Grapes	0.5	
	Hops, Dry	15	
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Milks	0.01	At or about the limit of determination
	Mints	15	
	Pome fruits	0.07	
	Tea, Green, Black (black, fermented and dried)	15	
	Tree nuts	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
Famoxadone – (208) Functional class: Fungicide	Barley	0.2	
	Barley straw and fodder, Dry	5	
	Cucumber	0.2	
	Dried grapes (=currants, raisins and sultanas)	5	
	Edible offal (mammalian)	0.5	
	Eggs	0.01	At or about the limit of determination
	Grape pomace, Dry	7	
	Grapes	2	
	Meat (from mammals other than marine mammals)	0.5	The MRL/EMRL applies to the fat of meat
	Milks	0.03	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products"
	Potato	0.02	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Squash, summer	0.2	
	Tomato	2	
	Wheat	0.1	
	Wheat bran, Unprocessed	0.2	
	Wheat straw and fodder, Dry	7	
Fenamidone – (264) Functional class: Fungicide	Beans, except broad bean and soya bean	0.8	
	Beans, Shelled	0.15	
	Cabbages, Head	0.9	
	Carrot	0.2	
	Celery	40	

SUBSTANCE	COMMODITY	MRL	REMARK
	Cotton seed	0.02	At or about the limit of determination
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	4	
	Fruiting vegetables other than cucurbits	1.5	Except chilli pepper, fungi, sweet corn
	Fruiting vegetables, Cucurbits	0.2	
	Garlic	0.15	
	Grapes	0.6	
	Leek	0.3	
	Lettuce, Head	20	
	Lettuce, Leaf	0.9	
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Milk fats	0.02	
	Milks	0.01	At or about the limit of determination
	Onion, Bulb	0.15	
	Onion, Welsh	3	
	Peppers Chili	4	
	Peppers Chili, dried	30	
	Potato	0.02	At or about the limit of determination
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Shallot	0.15	
	Spring Onion	3	
	Strawberry	0.04	
	Sunflower seed	0.02	At or about the limit of determination
	Tomato ketchup	3	
	Tomato paste	4	
	Witloof chicory (sprouts)	0.01	At or about the limit of determination
Fenamiphos – (85) Functional class: Insecticide	Apple	0.05	At or about the limit of determination
	Banana	0.05	At or about the limit of determination
	Brussels sprouts	0.05	
	Cabbages, Head	0.05	
	Cotton seed	0.05	At or about the limit of determination
	Cotton seed oil, Crude	0.05	At or about the limit of determination
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Melons, except watermelon	0.05	
	Milks	0.005	At or about the limit of determination
	Peanut	0.05	At or about the limit of determination
	Peanut oil, Crude	0.05	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
Fenarimol – (192) Functional class: Fungicide	Artichoke, Globe	0.1	
	Banana	0.2	
	Cattle kidney	0.02	At or about the limit of determination
	Cattle liver	0.05	

SUBSTANCE	COMMODITY	MRL	REMARK
	Cattle meat	0.02	At or about the limit of determination
	Cherries (includes all commodities in this subgroup)	1	
	Dried grapes (=currants, raisins and sultanas)	0.2	
	Grapes	0.3	
	Hops, Dry	5	
	Melons, except watermelon	0.05	
	Peach	0.5	
	Pecan	0.02	At or about the limit of determination
	Peppers Chili, dried	5	
	Peppers, Sweet (including pimento or pimiento)	0.5	
	Pome fruits	0.3	
	Strawberry	1	The MRL/EMRL is temporary, irrespective of the status of the ADI, until required information has been provided and evaluated
	Sweet corn fodder	5	
Fenazaquin – (EC number 410-580-0) Pesticide Type: Acaricide	All fruits except citrus fruits and pome fruits	0.01	Expiration date of accreditation: 31/05/2021
	Citrus fruits	0.5	
	Pome fruits	0.1	
	All vegetables except tomato	0.01	
	Tomato	0.5	
Fenbuconazole – (197) Functional class: Fungicide	Almond hulls	3	
	Apricot	0.5	
	Banana	0.05	
	Barley	0.2	
	Barley bran, unprocessed	1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Barley straw and fodder, Dry	3	
	Blueberries	0.5	
	Cherries (includes all commodities in this subgroup)	1	
	Citrus fruits	0.5	except lemons and limes
	Citrus oil, edible	30	except lemons and limes
	Citrus pulp, Dry	4	
	Cranberry	1	
	Cucumber	0.2	
	Edible offal (mammalian)	0.1	
	Eggs	0.01	At or about the limit of determination
	Grapes	1	
	Lemons and limes (including Citron)	1	
	Lemons and limes, edible oil refined	60	
	Meat (from mammals other than marine mammals)	0.01	
	Melons, except watermelon	0.2	
	Milks	0.01	At or about the limit of determination
	Peach	0.5	
	Peanut	0.1	
	Peanut fodder	15	
	Peppers	0.6	
	Peppers Chili, dried	2	
	Plums (including prunes) (includes all commodities in this subgroup)	0.3	
	Pome fruits	0.5	
	Poultry meat	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rape seed	0.05	At or about the limit of determination
	Rye	0.1	
	Squash, summer	0.05	
	Sunflower seed	0.05	At or about the limit of determination
	Sweet corn fodder	1	
	Tree nuts	0.01	At or about the limit of determination
	Wheat	0.1	
	Wheat straw and fodder, Dry	3	
Fenbutatin Oxide – (109) Functional class: Acaricide	Almonds	0.5	
	Banana	10	
	Cherries (includes all commodities in this subgroup)	10	
	Chicken meat	0.05	At or about the limit of determination
	Chicken, Edible offal of	0.05	At or about the limit of determination
	Citrus fruits	5	Including kumquats
	Citrus pulp, Dry	25	
	Cucumber	0.5	
	Edible offal (mammalian)	0.2	
	Eggs	0.05	
	Grape pomace, Dry	100	
	Grapes	5	
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Milks	0.05	At or about the limit of determination
	Peach	7	
	Pecan	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Plums (including prunes) (includes all commodities in this subgroup)	3	
	Pome fruits	5	
	Prunes	10	
	Raisins (seedless white grape var., partially dried)	20	
	Strawberry	10	
	Tomato	1	
	Walnuts	0.5	
Fenhexamid – (215) Functional class: Fungicide	Almond hulls	2	
	Almonds	0.02	At or about the limit of determination
	Apricot	10	
	Bilberry	5	
	Blackberries	15	
	Blueberries	5	
	Cherries (includes all commodities in this subgroup)	7	
	Cucumber	1	
	Currants, Black, Red, White	5	
	Dewberries (including boysenberry and loganberry)	15	
	Dried grapes (=currants, raisins and sultanas)	25	
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Egg plant	2	
	Elderberries	5	
	Gherkin	1	
	Gooseberry	5	
	Grapes	15	

SUBSTANCE	COMMODITY	MRL	REMARK
	Juneberries	5	
	Kiwifruit	15	
	Lettuce, Head	30	
	Lettuce, Leaf	30	
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Milks	0.01	At or about the limit of determination. The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
	Nectarine	10	
	Peach	10	
	Peppers	2	
	Plums (including prunes) (includes all commodities in this subgroup)	1	
	Raspberries, Red, Black	15	
	Squash, summer	1	
	Strawberry	10	
	Tomato	2	
Fenitrothion – (37) Functional class: Insecticide	Apple	0.5	
	Cereal grains	6	The MRL accommodates post-harvest treatment of the commodity
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Eggs	0.05	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Milks	0.01	

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry meat	0.05	At or about the limit of determination
	Rice bran, Unprocessed	40	The MRL accommodates post-harvest treatment of the primary food commodity
	Soya bean (dry)	0.01	
	Spices, Fruits and Berries	1	
	Spices, Roots and Rhizomes	0.1	At or about the limit of determination
	Spices, Seeds	7	
	Wheat bran, Unprocessed	25	The MRL accommodates post-harvest treatment of the primary food commodity
Fenoxaprop -P-ethyl – (EC number –) Pesticide Type: Herbicide	All fruits & vegetables	0.1	Expiration date of accreditation: 31/12/2018
Fenpropathrin – (185) Functional class: Insecticide	Almond hulls	10	
	Citrus fruits	2	
	Citrus oil, edible	100	
	Coffee beans	0.03	
	Edible offal (mammalian)	0.01	
	Eggs	0.01	At or about the limit of determination
	Mammalian fats (except milk fats)	0.03	
	Meat (from mammals other than marine mammals)	0.01	
	Milks	0.01	
	Peppers	1	
	Peppers Chili, dried	10	
	Plums (including prunes) (includes all commodities in this subgroup)	1	
	Pome fruits	5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Prunes	3	
	Soya bean (dry)	0.01	
	Strawberry	2	
	Tea, Green, Black (black, fermented and dried)	3	
	Tomato	1	
	Tree nuts	0.15	
Fenpropidin – (EC number –) Pesticide Type: Fungicide	All fruits & vegetables	0.01	Expiration date of accreditation: 31/12/2018
Fenpropimorph – (188) Functional class: Fungicide	Banana	2	
	Barley	0.5	
	Barley straw and fodder, Dry	5	
	Eggs	0.01	At or about the limit of determination
	Kidney of cattle, goats and sheep	0.05	
	Liver of cattle, goats & sheep	0.3	
	Mammalian fats (except milk fats)	0.01	
	Meat (from mammals other than marine mammals)	0.02	
	Milks	0.01	
	Oat straw and fodder, Dry	5	
	Oats	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rye	0.5	
	Rye straw and fodder, Dry	5	
	Sugar beet	0.05	At or about the limit of determination
	Wheat	0.5	
	Wheat straw and fodder, Dry	5	
Fenpyroximate – (193) Functional class: Acaricide	Avocado	0.2	
	Cherries (includes all commodities in this subgroup)	2	
	Citrus fruits	0.5	
	Common bean (pods and/or immature seeds)	0.4	
	Cucumber	0.3	
	Dried grapes (=currants, raisins and sultanas)	0.3	
	Edible offal (mammalian)	0.02	
	Fruiting vegetables other than cucurbits	0.2	Except sweet corn and mushrooms
	Grapes	0.1	
	Hops, Dry	10	
	Meat (from mammals other than marine mammals)	0.2	The MRL/EMRL applies to the fat of meat
	Melons, except watermelon	0.05	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Peppers Chili, dried	1	
	Pome fruits	0.3	
	Potato	0.05	

SUBSTANCE	COMMODITY	MRL	REMARK
	Prunes	0.7	
	Stone fruits	0.4	Except cherries
	Strawberry	0.8	
	Tree nuts	0.05	At or about the limit of determination
Fenthion – (39) Functional class: Insecticide	Cherries (includes all commodities in this subgroup)	2	
	Citrus fruits	2	
	Olive oil, Virgin	1	
	Rice, Husked	0.05	
	Table Olives	1	
Fenvalerate – (119) Functional class: Insecticide	Broccoli, Chinese	3	
	Edible offal (mammalian)	0.02	
	Mango	1.5	
	Meat (from mammals other than marine mammals)	1	The MRL/EMRL applies to the fat of meat
	Milks	0.1	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products"
	Spices, Fruits and Berries	0.03	
	Spices, Roots and Rhizomes	0.05	
Fipronil – (202) Functional class: Insecticide	Banana	0.005	
	Barley	0.002	At or about the limit of determination
	Cabbages, Head	0.02	
	Cattle kidney	0.02	
	Cattle liver	0.1	
	Cattle meat	0.5	The MRL/EMRL applies to the fat of meat
	Cattle milk	0.02	

SUBSTANCE	COMMODITY	MRL	REMARK
	Eggs	0.02	
	Flowerhead brassicas (includes Broccoli, Chinese and Cauliflower)	0.02	
	Maize	0.01	
	Maize fodder (dry)	0.1	Dry Weight
	Oats	0.002	At or about the limit of determination
	Potato	0.02	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.02	
	Rice	0.01	
	Rice straw and fodder, Dry	0.2	Dry Weight
	Rye	0.002	At or about the limit of determination
	Sugar beet	0.2	
	Sunflower seed	0.002	At or about the limit of determination
	Triticale	0.002	At or about the limit of determination
	Wheat	0.002	At or about the limit of determination
Flonicamid – (282) Functional class: Insecticide	Fruiting vegetables, Cucurbits	undefined	
Fluazifop-p-butyl – (283) Functional class: Herbicide	Acerola	undefined	
Flubendiamide – (242) Functional class: Insecticide	Almond hulls	10	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	4	
	Celery	5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Cotton seed	1.5	
	Edible offal (mammalian)	1	
	Fruiting vegetables, Cucurbits	0.2	
	Grapes	2	
	Legume vegetables	2	
	Lettuce, Head	5	
	Lettuce, Leaf	7	
	Maize	0.02	
	Meat (from mammals other than marine mammals)	2	The MRL/EMRL applies to the fat of meat
	Milk fats	5	
	Milks	0.1	
	Pea hay or pea fodder (dry)	40	
	Peppers	0.7	
	Peppers Chili, dried	7	
	Pome fruits	0.8	
	Pulses	1	
	Soya bean fodder	60	
	Stone fruits	2	
	Sweet corn (corn-on-the-cob)	0.02	
	Tea, Green, Black (black, fermented and dried)	50	
	Tomato	2	
	Tree nuts	0.1	
Fludioxonil – (211) Functional class: Fungicide	Avocado	0.4	
	Beans (dry)	0.5	
	Beans, except broad bean and soya bean	0.6	Green pods and immature seeds

SUBSTANCE	COMMODITY	MRL	REMARK
	Beans, Shelled	0.4	
	Blackberries	5	
	Blueberries	2	
	Broccoli	0.7	
	Cabbages, Head	2	
	Carrot	0.7	
	Cereal grains	0.05	At or about the limit of determination
	Citrus fruits	10	The MRL accommodates post-harvest treatment of the commodity
	Cotton seed	0.05	At or about the limit of determination
	Dewberries (including boysenberry and loganberry)	5	
	Dried herbs	60	
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Egg plant	0.3	
	Eggs	0.01	At or about the limit of determination
	Fruiting vegetables, Cucurbits	0.5	
	Ginseng	4	
	Grapes	2	
	Herbs	9	
	Kiwifruit	15	The MRL accommodates post-harvest treatment of the commodity
	Lettuce, Head	10	
	Lettuce, Leaf	40	
	Mango	2	
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	

SUBSTANCE	COMMODITY	MRL	REMARK
	Mustard greens	10	
	Onion, Bulb	0.5	
	Peas (dry)	0.07	
	Peas (pods and succulent=immature seeds)	0.3	
	Peas, Shelled (succulent seeds)	0.03	
	Peppers	1	
	Peppers Chili, dried	4	
	Pistachio nuts	0.2	
	Pome fruits	5	The MRL accommodates post-harvest treatment of the commodity
	Pomegranate	2	The MRL accommodates post-harvest treatment of the commodity
	Potato	5	The MRL accommodates post-harvest treatment of the commodity
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Radish	0.3	
	Radish leaves (including radish tops)	20	
	Rape seed	0.02	At or about the limit of determination
	Raspberries, Red, Black	5	
	Snap bean (young pods)	0.6	
	Spinach	30	
	Stone fruits	5	The MRL accommodates post-harvest treatment of the commodity
	Straw and fodder (dry) of cereal grains	0.06	At or about the limit of determination
	Strawberry	3	
	Sweet corn (corn-on-the-cob)	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Sweet corn fodder	20	
	Sweet potato	10	The MRL accommodates post-harvest treatment of the commodity
	Tomato	3	The MRL accommodates post-harvest treatment of the commodity
	Watercress	10	
	Yams	10	The MRL accommodates post-harvest treatment of the commodity
Fluensulfone – (265) Functional class: Nematocide	Fruiting vegetables other than cucurbits	0.3	Except sweet corn and mushrooms
	Fruiting vegetables, Cucurbits	0.3	
	Peppers Chili, dried	2	
	Tomato paste	0.5	
	Tomato, dried	0.5	
Flufenoxuron – (275) Functional class: Acaricide	Edible offal (mammalian)	0.05	At or about the limit of determination
	Mammalian fats (except milk fats)	0.05	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.4	
	Tea, Green, Black (black, fermented and dried)	20	
Flumethrin – (195) Functional class: Insecticide	Cattle meat	0.2	The MRL/EMRL applies to the fat of meat. On carcass fat basis. The MRL accommodates external animal treatment.
	Cattle milk	0.05	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".

SUBSTANCE	COMMODITY	MRL	REMARK
			On carcass fat basis. The MRL accommodates external animal treatment.
Fluopicolide – (235) Functional class: Fungicide	Brussels sprouts	0.2	
	Cabbages, Head	7	
	Celery	20	
	Dried grapes (=currants, raisins and sultanas)	10	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	2	
	Fruiting vegetables other than cucurbits	1	Except mushrooms and sweet corn
	Fruiting vegetables, Cucurbits	0.5	
	Grape pomace, Dry	7	
	Grapes	2	
	Leafy vegetables	30	
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Milks	0.02	
	Onion, Bulb	1	
	Onion, Welsh	10	
	Peppers Chili, dried	7	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Straw and fodder (dry) of cereal grains	0.2	
Fluopyram – (243)	Asparagus	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
Functional class: Fungicide	Banana	0.8	
	Beans (dry)	0.07	
	Blackberries	3	
	Broccoli	0.3	
	Brussels sprouts	0.3	
	Cabbages, Head	0.15	
	Carrot	0.4	
	Cauliflower	0.09	
	Cherries (includes all commodities in this subgroup)	0.7	
	Chick-pea (dry)	0.07	
	Cucumber	0.5	
	Dried grapes (=currants, raisins and sultanas)	5	
	Eggs	0.3	
	Garlic	0.07	
	Grapes	2	
	Kidney of cattle, goats and sheep	0.5	
	Leek	0.15	
	Lentil (dry)	0.07	
	Lettuce, Head	15	
	Lettuce, Leaf	15	
	Liver of cattle, goats & sheep	3	
	Lupin (dry)	0.07	
	Meat (from mammals other than marine mammals)	0.5	
	Milks	0.3	
	Onion, Bulb	0.07	

SUBSTANCE	COMMODITY	MRL	REMARK
	Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	1	
	Peanut	0.03	
	Plums (including prunes) (includes all commodities in this subgroup)	0.5	
	Pome fruits	0.5	
	Potato	0.03	
	Poultry meat	0.2	
	Poultry, Edible offal of	0.7	
	Rape seed	1	
	Raspberries, Red, Black	3	
	Strawberry	0.4	
	Sugar beet	0.04	
	Tomato	0.4	
	Tree nuts	0.04	
Flusilazole – (165) Functional class: Fungicide	Apricot	0.2	
	Banana	0.03	
	Cereal grains	0.2	Except rice
	Dried grapes (=currants, raisins and sultanas)	0.3	
	Edible offal (mammalian)	2	
	Eggs	0.1	
	Grape pomace, Dry	2	
	Grapes	0.2	
	Meat (from mammals other than marine mammals)	1	The MRL/EMRL applies to the fat of meat
	Milks	0.05	
	Nectarine	0.2	

SUBSTANCE	COMMODITY	MRL	REMARK
	Peach	0.2	
	Pome fruits	0.3	
	Poultry meat	0.2	
	Poultry, Edible offal of	0.2	
	Rape seed	0.1	
	Soya bean (dry)	0.05	
	Soya bean hulls	0.05	
	Soya bean oil, Refined	0.1	
	Straw and fodder (dry) of cereal grains	5	Except rice
	Sugar beet	0.05	
	Sunflower seed	0.1	
	Sweet corn (corn-on-the-cob)	0.01	At or about the limit of determination
	Sweet corn fodder	2	
Flutolanil – (205) Functional class: Fungicide	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.05	At or about the limit of determination
	Brassica leafy vegetables	0.07	
	Edible offal (mammalian)	0.5	
	Eggs	0.05	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Milks	0.05	At or about the limit of determination
	Poultry meat	0.05	At or about the limit of determination
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Rice bran, Unprocessed	10	
	Rice straw and fodder, Dry	10	
	Rice, Husked	2	
	Rice, Polished	1	

SUBSTANCE	COMMODITY	MRL	REMARK
Flutriafol – (248) Functional class: Fungicide	Banana	0.3	
	Coffee beans	0.15	
	Dried grapes (=currants, raisins and sultanas)	2	
	Grapes	0.8	
	Peanut	0.15	
	Peanut fodder	20	
	Peppers Chili, dried	10	
	Peppers, Sweet (including pimento or pimiento)	1	
	Pome fruits	0.3	
	Soya bean (dry)	0.4	
	Wheat	0.15	
	Wheat bran, Unprocessed	0.3	
	Wheat straw and fodder, Dry	8	
Fluxapyroxad – (256) Functional class: Fungicide	Barley	2	
	Barley bran, processed	4	
	Barley straw and fodder, Dry	30	
	Beans (dry)	0.3	
	Beans, except broad bean and soya bean	2	
	Beans, Shelled	0.09	
	Chick-pea (dry)	0.4	
	Cotton seed	0.01	At or about the limit of determination
	Edible offal (mammalian)	0.1	
	Eggs	0.02	
	Fruiting vegetables other than cucurbits	0.6	Except sweet corn and mushrooms
	Lentil (dry)	0.4	

SUBSTANCE	COMMODITY	MRL	REMARK
	Maize	0.01	At or about the limit of determination
	Maize fodder (dry)	15	
	Meat (from mammals other than marine mammals)	0.2	The MRL/EMRL applies to the fat of meat
	Milk fats	0.5	
	Milks	0.02	
	Oat straw and fodder, Dry	30	
	Oats	2	
	Oilseed	0.8	Except peanut and cotton
	Pea hay or pea fodder (dry)	40	Dry Weight
	Peanut	0.01	
	Peas (dry)	0.4	
	Peas (pods and succulent=immature seeds)	2	
	Peas, Shelled (succulent seeds)	0.09	
	Peppers Chili, dried	6	
	Pome fruits	0.9	
	Potato	0.03	
	Poultry fats	0.05	
	Poultry meat	0.02	
	Poultry, Edible offal of	0.02	
	Prunes	5	
	Rye	0.3	
	Rye straw and fodder, Dry	30	
	Soya bean (dry)	0.15	
	Soya bean (immature seeds)	0.5	
	Soya bean (young pod)	1.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Soya bean fodder	30	Dry Weight
	Soya bean hulls	0.3	
	Stone fruits	2	
	Sugar beet	0.15	
	Sweet corn (corn-on-the-cob)	0.15	
	Triticale	0.3	
	Triticale straw and fodder, Dry	30	
	Wheat	0.3	
	Wheat bran, Unprocessed	1	
	Wheat straw and fodder, Dry	30	
Folpet – (41) Functional class: Fungicide	Apple	10	
	Cucumber	1	
	Dried grapes (=currants, raisins and sultanas)	40	
	Grapes	10	
	Lettuce, Head	50	
	Melons, except watermelon	3	
	Onion, Bulb	1	
	Potato	0.1	
	Strawberry	5	
	Tomato	3	
Glufosinate-Ammonium – (175) Functional class: Herbicide	Asparagus	0.4	
	Assorted tropical and sub-tropical fruits - edible peel	0.1	
	Assorted tropical and sub-tropical fruits - inedible peel	0.1	Except banana and kiwifruit
	Banana	0.2	
	Bean fodder	1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Blueberries	0.1	
	Carrot	0.05	
	Citrus fruits	0.05	
	Coffee beans	0.1	
	Common bean (dry)	0.05	
	Common bean (pods and/or immature seeds)	0.05	At or about the limit of determination
	Corn salad	0.05	
	Cotton seed	5	
	Currants, Black, Red, White	1	
	Edible offal (mammalian)	3	
	Eggs	0.05	At or about the limit of determination
	Gooseberry	0.1	
	Grapes	0.15	
	Kiwifruit	0.6	
	Lettuce, Head	0.4	
	Lettuce, Leaf	0.4	
	Maize	0.1	
	Maize fodder (dry)	8	
	Meat (from mammals other than marine mammals)	0.05	
	Milks	0.02	At or about the limit of determination
	Onion, Bulb	0.05	
	Pome fruits	0.1	
	Potato	0.1	
	Poultry meat	0.05	At or about the limit of determination
	Poultry, Edible offal of	0.1	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Prunes	0.3	
	Rape seed	1.5	
	Rape seed oil, Crude	0.05	At or about the limit of determination
	Raspberries, Red, Black	0.1	
	Rice	0.9	
	Rice straw and fodder, Dry	2	
	Soya bean (dry)	2	
	Stone fruits	0.15	
	Strawberry	0.3	
	Sugar beet	1.5	
	Sugar beet molasses	8	
	Tree nuts	0.1	
Glyphosate – (158) Functional class: Herbicide	Alfalfa fodder	500	
	Banana	0.05	At or about the limit of determination
	Barley straw and fodder, Dry	400	
	Bean fodder	200	
	Beans (dry)	2	
	Cereal grains	30	Except maize and rice
	Cotton seed	40	
	Edible offal (mammalian)	5	
	Eggs	0.05	At or about the limit of determination
	Hay or fodder (dry) of grasses	500	
	Lentil (dry)	5	
	Maize	5	
	Maize fodder (dry)	150	
	Meat (from mammals other than	0.05	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	marine mammals)		
	Milks	0.05	At or about the limit of determination
	Oat straw and fodder, Dry	100	
	Pea hay or pea fodder (dry)	500	
	Peas (dry)	5	
	Poultry meat	0.05	At or about the limit of determination
	Poultry, Edible offal of	0.5	
	Rape seed	30	
	Sorghum straw and fodder, Dry	50	
	Soya bean (dry)	20	
	Sugar beet	15	
	Sugar cane	2	
	Sugar cane molasses	10	
	Sunflower seed	7	
	Sweet corn (corn-on-the-cob)	3	
	Wheat bran, Unprocessed	20	
	Wheat straw and fodder, Dry	300	
Guazatine – (114) Functional class: Fungicide	Cereal grains	0.05	At or about the limit of determination
	Citrus fruits	5	The MRL accommodates post-harvest treatment of the commodity
Halosulfuron methyl – (EC number –) Pesticide Type: Herbicide	All fruits & vegetables	0.01	Expiration date of accreditation: 30/09/2023
Haloxypop – (194) Functional class:	Banana	0.02	At or about the limit of determination
	Beans (dry)	3	

SUBSTANCE	COMMODITY	MRL	REMARK
Herbicide	Beans, except broad bean and soya bean	0.5	
	Chick-pea (dry)	0.05	
	Citrus fruits	0.02	At or about the limit of determination
	Coffee beans	0.02	At or about the limit of determination
	Cotton seed	0.7	
	Edible offal (mammalian)	2	
	Eggs	0.1	
	Fodder beet	0.4	
	Grapes	0.02	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.5	The MRL/EMRL applies to the fat of meat
	Milk fats	7	
	Milks	0.3	
	Onion, Bulb	0.2	
	Peanut fodder	5	
	Peas (dry)	0.2	
	Peas (pods and succulent=immature seeds)	0.7	
	Peas, Shelled (succulent seeds)	1	
	Pome fruits	0.02	At or about the limit of determination
	Poultry meat	0.7	The MRL/EMRL applies to the fat of meat
	Poultry, Edible offal of	0.7	
	Rape seed	3	
	Soya bean (dry)	2	
	Stone fruits	0.02	At or about the limit of determination
	Sugar beet	0.4	

SUBSTANCE	COMMODITY	MRL	REMARK
	Sunflower seed	0.3	
Heptachlor – (43) Functional class: Insecticide	Cereal grains	0.02	The MRL is based on extraneous residues
	Citrus fruits	0.01	The MRL is based on extraneous residues
	Cotton seed	0.02	The MRL is based on extraneous residues
	Eggs	0.05	The MRL is based on extraneous residues
	Meat (from mammals other than marine mammals)	0.2	The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues.
	Milks	0.006	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". The MRL is based on extraneous residues.
	Pineapple	0.01	The MRL is based on extraneous residues
	Poultry meat	0.2	The MRL/EMRL applies to the fat of meat. The MRL is based on extraneous residues.
	Soya bean (immature seeds)	0.02	The MRL is based on extraneous residues
	Soya bean oil, Crude	0.5	The MRL is based on extraneous residues
	Soya bean oil, Refined	0.02	The MRL is based on extraneous residues
Hexaconazole – (EC number 413-050-7) Pesticide Type:	All fruits & vegetables except bulb vegetables	0.01	
	Bulb vegetables	0.02	

SUBSTANCE	COMMODITY	MRL	REMARK
Fungicide			
Hexythiazox – (176) Functional class: Acaricide	Citrus fruits	0.5	
	Date	2	
	Dried grapes (=currants, raisins and sultanas)	1	
	Edible offal (mammalian)	0.05	
	Egg plant	0.1	
	Eggs	0.05	
	Fruiting vegetables, Cucurbits	0.05	Except watermelon
	Grape pomace, Dry	15	
	Grapes	1	
	Hops, Dry	3	
	Mammalian fats (except milk fats)	0.05	
	Meat (from mammals other than marine mammals)	0.05	The MRL/EMRL applies to the fat of meat
	Milk fats	0.05	
	Milks	0.05	
	Pome fruits	0.4	
	Poultry meat	0.05	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.05	
	Prunes	1	
	Stone fruits	0.3	
	Strawberry	6	
	Tea, Green, Black (black, fermented and dried)	15	
	Tomato	0.1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Tree nuts	0.05	At or about the limit of determination
Hydrogen Phosphide – (46) Functional class: Fumigant	Cacao beans	0.01	The MRL accommodates post-harvest treatment of the commodity
	Cereal grains	0.1	The MRL accommodates post-harvest treatment of the commodity
	Dried fruits	0.01	The MRL accommodates post-harvest treatment of the commodity
	Dried vegetables	0.01	The MRL accommodates post-harvest treatment of the commodity
	Peanut	0.01	The MRL accommodates post-harvest treatment of the commodity
	Spices	0.01	The MRL accommodates post-harvest treatment of the commodity
	Tree nuts	0.01	The MRL accommodates post-harvest treatment of the commodity
Imazalil – (110) Functional class: Fungicide	Banana	2	The MRL accommodates post-harvest treatment of the commodity
	Citrus fruits	5	The MRL accommodates post-harvest treatment of the commodity
	Cucumber	0.5	
	Gherkin	0.5	
	Melons, except watermelon	2	The MRL accommodates post-harvest treatment of the commodity
	Persimmon, Japanese	2	The MRL accommodates post-harvest treatment of the commodity
	Pome fruits	5	The MRL accommodates post-harvest treatment of the commodity
	Potato	5	The MRL accommodates post-harvest treatment of the commodity
	Raspberries, Red, Black	2	
	Strawberry	2	
	Wheat	0.01	At or about the limit of determination
	Wheat straw and fodder, Dry	0.1	

SUBSTANCE	COMMODITY	MRL	REMARK
Imazamox – (276) Functional class: Herbicide	Alfalfa fodder	0.1	At or about the limit of determination
	Beans (dry)	0.05	At or about the limit of determination
	Beans, except broad bean and soya bean	0.05	At or about the limit of determination
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Lentil (dry)	0.2	
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	
	Milks	0.01	At or about the limit of determination
	Pea hay or pea fodder (dry)	0.05	At or about the limit of determination
	Peanut	0.01	At or about the limit of determination
	Peas (dry)	0.05	At or about the limit of determination
	Peas, Shelled (succulent seeds)	0.05	At or about the limit of determination
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rape seed	0.05	At or about the limit of determination
	Rice	0.01	At or about the limit of determination
	Rice straw and fodder, Dry	0.01	At or about the limit of determination
	Soya bean (dry)	0.01	At or about the limit of determination
	Soya bean fodder	0.01	At or about the limit of determination
	Sunflower seed	0.3	
	Wheat	0.05	At or about the limit of determination
	Wheat bran, Unprocessed	0.2	
	Wheat germ	0.1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Wheat straw and fodder, Dry	0.05	At or about the limit of determination
Imazapic – (266) Functional class: Herbicide	Edible offal (mammalian)	1	
	Eggs	0.01	At or about the limit of determination
	Hay or fodder (dry) of grasses	3	
	Maize	0.01	At or about the limit of determination
	Mammalian fats (except milk fats)	0.1	
	Meat (from mammals other than marine mammals)	0.1	
	Milks	0.1	
	Peanut	0.05	At or about the limit of determination
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rape seed	0.05	At or about the limit of determination
	Rice	0.05	At or about the limit of determination
	Sugar cane	0.01	At or about the limit of determination
	Wheat	0.05	At or about the limit of determination
	Wheat straw and fodder, Dry	0.05	At or about the limit of determination
Imazapyr – (267) Functional class: Herbicide	Edible offal (mammalian)	0.05	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Lentil (dry)	0.3	
	Maize	0.05	At or about the limit of determination
	Mammalian fats (except milk fats)	0.05	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Poultry fats	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rape seed	0.05	At or about the limit of determination
	Sunflower seed	0.08	
	Wheat	0.05	At or about the limit of determination
	Wheat straw and fodder, Dry	0.05	At or about the limit of determination
Imidacloprid – (206) Functional class: Insecticide	Almond hulls	5	
	Apple	0.5	
	Apricot	0.5	
	Banana	0.05	
	Barley straw and fodder, Dry	1	
	Beans, except broad bean and soya bean	2	
	Berries and other small fruits	5	Except cranberries, grapes and strawberries
	Broccoli	0.5	
	Brussels sprouts	0.5	
	Cabbages, Head	0.5	
	Cauliflower	0.5	
	Celery	6	
	Cereal grains	0.05	
	Cherry, Sweet	0.5	
	Citrus fruits	1	
	Citrus pulp, Dry	10	
	Coffee beans	1	
	Cranberry	0.05	At or about the limit of determination
	Cucumber	1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Edible offal (mammalian)	0.3	
	Egg plant	0.2	
	Eggs	0.02	
	Grapes	1	
	Hops, Dry	10	
	Leek	0.05	At or about the limit of determination
	Lettuce, Head	2	
	Maize fodder (dry)	0.2	
	Mango	0.2	
	Meat (from mammals other than marine mammals)	0.1	
	Melons, except watermelon	0.2	
	Milks	0.1	
	Nectarine	0.5	
	Oat straw and fodder, Dry	1	
	Onion, Bulb	0.1	
	Peach	0.5	
	Peanut	1	
	Peanut fodder	30	
	Pear	1	
	Peas (pods and succulent=immature seeds)	5	
	Peas, Shelled (succulent seeds)	2	
	Peppers	1	
	Peppers Chili, dried	10	
	Plums (including prunes) (includes all commodities in this subgroup)	0.2	
	Pomegranate	1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry meat	0.02	
	Poultry, Edible offal of	0.05	
	Pulses	2	Except soya beans
	Radish leaves (including radish tops)	5	
	Rape seed	0.05	At or about the limit of determination
	Root and tuber vegetables	0.5	
	Rye straw and fodder, Dry	1	
	Squash, summer	1	
	Strawberry	0.5	
	Sunflower seed	0.05	At or about the limit of determination
	Sweet corn (corn-on-the-cob)	0.02	At or about the limit of determination
	Sweet corn fodder	5	
	Tomato	0.5	
	Tree nuts	0.01	
	Watermelon	0.2	
	Wheat bran, Unprocessed	0.3	
	Wheat flour	0.03	
	Wheat straw and fodder, Dry	1	
Indoxacarb – (216) Functional class: Insecticide	Alfalfa fodder	60	
	Apple	0.5	
	Broccoli	0.2	
	Cabbages, Head	3	
	Cauliflower	0.2	
	Chick-pea (dry)	0.2	
	Cotton fodder, dry	20	
	Cotton seed	1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Cowpea (dry)	0.1	
	Cranberry	1	
	Dried grapes (=currants, raisins and sultanas)	5	
	Edible offal (mammalian)	0.05	
	Egg plant	0.5	
	Eggs	0.02	
	Fruiting vegetables, Cucurbits	0.5	
	Grapes	2	
	Lettuce, Head	7	
	Lettuce, Leaf	3	
	Maize fodder (dry)	25	
	Meat (from mammals other than marine mammals)	2	The MRL/EMRL applies to the fat of meat
	Milk fats	2	
	Milks	0.1	
	Mints	15	
	Mung bean (dry)	0.2	
	Peanut	0.02	At or about the limit of determination
	Peanut fodder	50	
	Pear	0.2	
	Peppers	0.3	
	Potato	0.02	
	Poultry meat	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Prunes	3	

SUBSTANCE	COMMODITY	MRL	REMARK
	Soya bean (dry)	0.5	
	Stone fruits	1	
	Sweet corn (corn-on-the-cob)	0.02	
	Tea, Green, Black (black, fermented and dried)	5	
	Tomato	0.5	
Iprodione – (111) Functional class: Fungicide	Almonds	0.2	
	Barley	2	
	Beans (dry)	0.1	
	Blackberries	30	
	Broccoli	25	
	Carrot	10	The MRL accommodates post-harvest treatment of the commodity
	Cherries (includes all commodities in this subgroup)	10	
	Common bean (pods and/or immature seeds)	2	
	Cucumber	2	
	Grapes	10	
	Kiwifruit	5	
	Lettuce, Head	10	
	Lettuce, Leaf	25	
	Onion, Bulb	0.2	
	Peach	10	
	Pome fruits	5	The MRL accommodates post-harvest treatment of the commodity
	Rape seed	0.5	
	Raspberries, Red, Black	30	
	Rice, Husked	10	

SUBSTANCE	COMMODITY	MRL	REMARK
	Spices, Roots and Rhizomes	0.1	
	Spices, Seeds	0.05	At or about the limit of determination
	Strawberry	10	
	Sugar beet	0.1	At or about the limit of determination
	Sunflower seed	0.5	
	Tomato	5	
	Witloof chicory (sprouts)	1	
Isoprothiolane – (EC number –) Pesticide Type: Fungicide	All fruits & vegetables	0.01	
Isopyrazam – (249) Functional class: Fungicide	Banana	0.06	
	Barley	0.07	
	Barley straw and fodder, Dry	3	
	Edible offal (mammalian)	0.02	
	Eggs	0.01	At or about the limit of determination
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milk fats	0.02	
	Milks	0.01	At or about the limit of determination
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rye	0.03	
	Rye straw and fodder, Dry	3	
	Triticale	0.03	

SUBSTANCE	COMMODITY	MRL	REMARK
	Triticale straw and fodder, Dry	3	
	Wheat	0.03	
	Wheat bran, Unprocessed	0.15	
	Wheat straw and fodder, Dry	3	
Isoxaflutole – (268) Functional class: Herbicide	Chick-pea (dry)	0.01	At or about the limit of determination
	Chick-pea fodder	0.01	At or about the limit of determination
	Edible offal (mammalian)	0.1	
	Eggs	0.01	At or about the limit of determination
	Maize	0.02	At or about the limit of determination
	Maize fodder (dry)	0.02	At or about the limit of determination
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Poppy seed	0.02	At or about the limit of determination
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.2	
	Sugar cane	0.01	At or about the limit of determination
	Sugar cane fodder	0.01	At or about the limit of determination
	Sweet corn (corn-on-the-cob)	0.02	At or about the limit of determination
Kresoxim-Methyl – (199) Functional class: Fungicide	Barley	0.1	
	Cucumber	0.05	At or about the limit of determination
	Dried grapes (=currants, raisins and sultanas)	2	
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Grapefruit	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Grapes	1	
	Mammalian fats (except milk fats)	0.05	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Olive oil, Virgin	0.7	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.5	
	Pome fruits	0.2	
	Poultry meat	0.05	At or about the limit of determination
	Rye	0.05	At or about the limit of determination
	Straw and fodder (dry) of cereal grains	5	
	Table Olives	0.2	
	Wheat	0.05	At or about the limit of determination
Lenacil – (EC number 218-499-0) Pesticide Type: Herbicide	All fruits & vegetables except sweet potatoes	0.1	Expiration date of accreditation: 31/12/2018
	Sweet potatoes	0.5	
Lindane – (48) Functional class: Insecticide	Barley	0.01	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Maize	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.1	The MRL/EMRL applies to the fat of meat
	Milks	0.01	At or about the limit of determination
	Oats	0.01	At or about the limit of determination
	Poultry meat	0.05	The MRL/EMRL applies to the fat of

SUBSTANCE	COMMODITY	MRL	REMARK
			meat
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rye	0.01	At or about the limit of determination
	Sorghum	0.01	At or about the limit of determination
	Straw and fodder (dry) of cereal grains	0.01	At or about the limit of determination
	Sweet corn (kernels)	0.01	At or about the limit of determination
	Wheat	0.01	At or about the limit of determination
Linuron – (EC number 206-356-5) Pesticide Type: Herbicide	All fruits & vegetables	0.05	Expiration date of accreditation: 31/07/2017
Malathion – (49) Functional class: Insecticide	Apple	0.5	
	Asparagus	1	
	Beans (dry)	2	
	Beans, except broad bean and soya bean	1	
	Blueberries	10	
	Cherries (includes all commodities in this subgroup)	3	
	Citrus fruits	7	
	Cotton seed	20	
	Cotton seed oil, Crude	13	
	Cotton seed oil, Edible	13	
	Cucumber	0.2	
	Grapes	5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Maize	0.05	
	Mustard greens	2	
	Onion, Bulb	1	
	Peppers	0.1	
	Peppers Chili, dried	1	
	Sorghum	3	
	Spices, Fruits and Berries	1	
	Spices, Roots and Rhizomes	0.5	
	Spices, Seeds	2	
	Spinach	3	
	Spring Onion	5	
	Strawberry	1	
	Sweet corn (corn-on-the-cob)	0.02	
	Tomato	0.5	
	Tomato juice	0.01	
	Turnip greens	5	
	Turnip, Garden	0.2	
	Wheat	10	
	Wheat bran, Unprocessed	25	
	Wheat flour	0.2	
Maleic Hydrazide – (102) Functional class: Plant growth	Garlic	15	
	Onion, Bulb	15	
	Potato	50	

SUBSTANCE	COMMODITY	MRL	REMARK
regulator	Shallot	15	
Mandipropamid – (231) Functional class: Fungicide	Broccoli	2	
	Cabbages, Head	3	
	Celery	20	
	Cucumber	0.2	
	Dried grapes (=currants, raisins and sultanas)	5	
	Grapes	2	
	Hops, Dry	90	
	Leafy vegetables	25	
	Melons, except watermelon	0.5	
	Onion, Bulb	0.1	
	Peppers	1	
	Peppers Chili, dried	10	
	Potato	0.01	At or about the limit of determination
	Spring Onion	7	
	Squash, summer	0.2	
	Tomato	0.3	
MCPA – (257) Functional class: Herbicide	Barley	0.2	
	Barley straw and fodder, Dry	50	
	Edible offal (mammalian)	3	
	Eggs	0.05	At or about the limit of determination
	Flax-seed	0.01	At or about the limit of determination
	Hay or fodder (dry) of grasses	500	

SUBSTANCE	COMMODITY	MRL	REMARK
	Maize	0.01	At or about the limit of determination
	Maize fodder (dry)	0.3	
	Mammalian fats (except milk fats)	0.2	
	Meat (from mammals other than marine mammals)	0.1	
	Milks	0.04	
	Oat straw and fodder, Dry	50	
	Oats	0.2	
	Peas (dry)	0.01	At or about the limit of determination
	Poultry fats	0.05	At or about the limit of determination
	Poultry meat	0.05	At or about the limit of determination
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Rye	0.2	
	Rye straw and fodder, Dry	50	
	Triticale	0.2	
	Triticale straw and fodder, Dry	50	
	Wheat	0.2	
	Wheat straw and fodder, Dry	50	
Meptyldinocap – (244) Functional class: Fungicide	Cucumber	0.07	
	Grapes	0.2	
	Melons, except watermelon	0.5	
	Squash, summer	0.07	
	Strawberry	0.3	
Mesotrione – (277)	Asparagus	0.01	At or about the limit of determination
	Bush berries	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
Functional class: Herbicide	Cane berries	0.01	At or about the limit of determination
	Cranberry	0.01	At or about the limit of determination
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Linseed	0.01	At or about the limit of determination
	Maize	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Millet (Including Barnyard, Bulrush, Common, Finger, Foxtail and Little Millet)	0.01	At or about the limit of determination
	Oats	0.01	At or about the limit of determination
	Okra	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rhubarb	0.01	At or about the limit of determination
	Rice, Husked	0.01	At or about the limit of determination
	Sorghum	0.01	At or about the limit of determination
	Soya bean (dry)	0.03	
	Sugar cane	0.01	
	Sweet corn (corn-on-the-cob)	0.01	At or about the limit of determination
Metaflumizone – (236) Functional class: Insecticide	Brussels sprouts	0.8	
	Chinese cabbage (type pack-choi)	6	
	Edible offal (mammalian)	0.02	At or about the limit of determination
	Egg plant	0.6	
	Lettuce, Head	7	

SUBSTANCE	COMMODITY	MRL	REMARK
	Meat (from mammals other than marine mammals)	0.02	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Milk fats	0.02	
	Milks	0.01	At or about the limit of determination
	Peppers	0.6	
	Peppers Chili, dried	6	
	Potato	0.02	At or about the limit of determination
	Tomato	0.6	
Metalaxyl – (138) Functional class: Fungicide	Asparagus	0.05	At or about the limit of determination
	Avocado	0.2	
	Broccoli	0.5	
	Brussels sprouts	0.2	
	Cabbages, Head	0.5	
	Cacao beans	0.2	
	Carrot	0.05	At or about the limit of determination
	Cauliflower	0.5	
	Cereal grains	0.05	At or about the limit of determination
	Citrus fruits	5	The MRL accommodates post-harvest treatment of the commodity
	Cotton seed	0.05	At or about the limit of determination
	Cucumber	0.5	
	Gherkin	0.5	
	Grapes	1	
	Hops, Dry	10	

SUBSTANCE	COMMODITY	MRL	REMARK
	Lettuce, Head	2	
	Melons, except watermelon	0.2	
	Onion, Bulb	2	
	Peanut	0.1	
	Peas, Shelled (succulent seeds)	0.05	At or about the limit of determination
	Peppers	1	
	Peppers Chili, dried	10	
	Pome fruits	1	The MRL accommodates post-harvest treatment of the commodity
	Potato	0.05	At or about the limit of determination
	Raspberries, Red, Black	0.2	
	Soya bean (dry)	0.05	At or about the limit of determination
	Spices, Seeds	5	
	Spinach	2	
	Squash, summer	0.2	
	Sugar beet	0.05	At or about the limit of determination
	Sunflower seed	0.05	At or about the limit of determination
	Tomato	0.5	
	Watermelon	0.2	
	Winter squash	0.2	
Methamidophos – (100) Functional class: Insecticide	Artichoke, Globe	0.2	
	Beans, except broad bean and soya bean	1	
	Cotton seed	0.2	
	Edible offal (mammalian)	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Eggs	0.01	At or about the limit of determination
	Fodder beet	0.02	
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.02	
	Potato	0.05	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rice straw and fodder, Dry	0.1	
	Rice, Husked	0.6	
	Soya bean (dry)	0.1	
	Spices	0.1	At or about the limit of determination
	Sugar beet	0.02	
Methidathion – (51) Functional class: Insecticide	Almonds	0.05	At or about the limit of determination
	Apple	0.5	
	Artichoke, Globe	0.05	At or about the limit of determination
	Beans (dry)	0.1	
	Cabbages, Head	0.1	
	Cattle fat	0.02	At or about the limit of determination
	Cherries (includes all commodities in this subgroup)	0.2	
	Cotton seed	1	
	Cotton seed oil, Crude	2	
	Cucumber	0.05	
	Edible offal of cattle, & sheep	0.02	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Eggs	0.02	At or about the limit of determination
	Goat fat	0.02	At or about the limit of determination
	Goat meat	0.02	At or about the limit of determination
	Goat, Edible offal of	0.02	At or about the limit of determination
	Grapefruit	2	
	Grapes	1	
	Hops, Dry	5	
	Lemons and limes (including Citron)	2	
	Macadamia nuts	0.01	At or about the limit of determination
	Maize	0.1	
	Mandarins ((including Mandarin-like hybrids)	5	
	Meat of cattle & sheep	0.02	At or about the limit of determination
	Milks	0.001	
	Nectarine	0.2	
	Onion, Bulb	0.1	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	2	
	Pear	1	
	Peas (dry)	0.1	
	Peas (pods and succulent=immature seeds)	0.1	
	Pecan	0.05	At or about the limit of determination
	Pineapple	0.05	
	Plums (including prunes) (includes all commodities in this subgroup)	0.2	

SUBSTANCE	COMMODITY	MRL	REMARK
	Potato	0.02	At or about the limit of determination
	Poultry fats	0.02	At or about the limit of determination
	Poultry meat	0.02	At or about the limit of determination
	Poultry, Edible offal of	0.02	At or about the limit of determination
	Radish	0.05	At or about the limit of determination
	Rape seed	0.1	
	Safflower seed	0.1	
	Sheep fat	0.02	At or about the limit of determination
	Sorghum	0.2	
	Spices, Fruits and Berries	0.02	
	Spices, Roots and Rhizomes	0.05	
	Sugar beet	0.05	At or about the limit of determination
	Sunflower seed	0.5	
	Table Olives	1	
	Tea, Green, Black (black, fermented and dried)	0.5	
	Tomato	0.1	
	Walnuts	0.05	At or about the limit of determination
Methiocarb – (132) Functional class: Insecticide	Artichoke, Globe	0.05	At or about the limit of determination
	Barley	0.05	At or about the limit of determination
	Barley straw and fodder, Dry	0.05	
	Brussels sprouts	0.05	At or about the limit of determination
	Cabbages, Head	0.1	
	Cauliflower	0.1	
	Hazelnuts	0.05	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Leek	0.5	
	Lettuce, Head	0.05	At or about the limit of determination
	Maize	0.05	At or about the limit of determination
	Melons, except watermelon	0.2	
	Onion, Bulb	0.5	
	Pea hay or pea fodder (dry)	0.5	
	Peas (dry)	0.1	
	Peas (pods and succulent=immature seeds)	0.1	
	Peppers, Sweet (including pimento or pimiento)	2	
	Potato	0.05	At or about the limit of determination
	Rape seed	0.05	At or about the limit of determination
	Spices, Fruits and Berries	0.07	
	Spices, Roots and Rhizomes	0.1	
	Strawberry	1	
	Sugar beet	0.05	At or about the limit of determination
	Sunflower seed	0.05	At or about the limit of determination
	Wheat	0.05	At or about the limit of determination
	Wheat straw and fodder, Dry	0.05	
Methomyl – (94) Functional class: Insecticide	Alfalfa fodder	20	
	Apple	0.3	
	Asparagus	2	
	Barley	2	
	Bean fodder	10	

SUBSTANCE	COMMODITY	MRL	REMARK
	Beans (dry)	0.05	
	Beans, except broad bean and soya bean	1	
	Citrus fruits	1	
	Citrus pulp, Dry	3	
	Common bean (pods and/or immature seeds)	1	
	Cotton seed	0.2	
	Cotton seed , meal	0.05	
	Cotton seed oil, Edible	0.04	
	Cotton seed, hulls	0.2	
	Edible offal (mammalian)	0.02	At or about the limit of determination
	Eggs	0.02	At or about the limit of determination
	Fruiting vegetables, Cucurbits	0.1	
	Grapes	0.3	
	Lettuce, Head	0.2	
	Lettuce, Leaf	0.2	
	Maize	0.02	At or about the limit of determination
	Maize oil, Edible	0.02	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.02	At or about the limit of determination
	Milks	0.02	At or about the limit of determination
	Mint hay	0.5	
	Nectarine	0.2	
	Oats	0.02	At or about the limit of determination
	Onion, Bulb	0.2	

SUBSTANCE	COMMODITY	MRL	REMARK
	Peach	0.2	
	Pear	0.3	
	Peas (pods and succulent=immature seeds)	5	
	Peppers	0.7	
	Peppers Chili, dried	10	
	Plums (including prunes) (includes all commodities in this subgroup)	1	
	Potato	0.02	At or about the limit of determination
	Poultry meat	0.02	At or about the limit of determination
	Poultry, Edible offal of	0.02	At or about the limit of determination
	Rape seed	0.05	
	Soya bean (dry)	0.2	
	Soya bean fodder	0.2	
	Soya bean hulls	1	
	Soya bean meal	20	
	Soya bean oil, Crude	0.2	
	Soya bean oil, Refined	0.2	
	Spices, Fruits and Berries	0.07	
	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	10	
	Tomato	1	
	Wheat	2	
	Wheat bran, Unprocessed	3	
	Wheat flour	0.03	

SUBSTANCE	COMMODITY	MRL	REMARK
	Wheat germ	2	
	Wheat straw and fodder, Dry	5	
Methoprene – (147) Functional class: Insect growth regulator	Cereal grains	10	The MRL accommodates post-harvest treatment of the commodity
	Edible offal (mammalian)	0.02	
	Eggs	0.02	
	Maize oil, Crude	200	The MRL accommodates post-harvest treatment of the primary food commodity
	Meat (from mammals other than marine mammals)	0.2	The MRL/EMRL applies to the fat of meat
	Milks	0.1	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products"
	Poultry meat	0.02	
	Poultry, Edible offal of	0.02	
	Rice hulls	40	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat bran, Unprocessed	25	The MRL accommodates post-harvest treatment of the primary food commodity
Methoxyfenozide – (209) Functional class: Insecticide	Almond hulls	50	
	Avocado	0.7	
	Beans (dry)	0.5	
	Beans, Shelled	0.3	
	Blueberries	4	
	Broccoli	3	

SUBSTANCE	COMMODITY	MRL	REMARK
	Cabbages, Head	7	
	Carrot	0.5	
	Celery	15	
	Citrus fruits	2	
	Common bean (pods and/or immature seeds)	2	
	Cotton seed	7	
	Cowpea (dry)	5	
	Cranberry	0.7	
	Dried grapes (=currants, raisins and sultanas)	2	
	Edible offal (mammalian)	0.2	
	Eggs	0.01	
	Fruiting vegetables, Cucurbits	0.3	Except watermelon
	Grapes	1	
	Lettuce, Head	15	
	Lettuce, Leaf	30	
	Maize	0.02	At or about the limit of determination
	Maize fodder (dry)	60	Dry Weight
	Mammalian fats (except milk fats)	0.3	
	Meat (from mammals other than marine mammals)	0.3	The MRL/EMRL applies to the fat of meat
	Milks	0.05	
	Mustard greens	30	
	Papaya	1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Peanut	0.03	
	Peanut fodder	80	
	Peanut oil, Edible	0.1	
	Peas (dry)	5	
	Peas (pods and succulent=immature seeds)	2	
	Peas, Shelled (succulent seeds)	0.3	
	Peppers	2	
	Peppers Chili, dried	20	
	Pome fruits	2	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Prunes	2	
	Radish	0.4	
	Radish leaves (including radish tops)	7	
	Stone fruits	2	
	Strawberry	2	
	Sugar beet	0.3	
	Sweet corn (corn-on-the-cob)	0.02	At or about the limit of determination
	Sweet corn fodder	7	
	Sweet potato	0.02	
	Tomato	2	
	Tree nuts	0.1	
Methyl Bromide –	Bread and other cooked cereal	0.01	At or about the limit of determination.

SUBSTANCE	COMMODITY	MRL	REMARK
(52) Functional class: Fumigant	products		To apply to commodity at point of retail sale or when offered for consumption.
	Cacao beans	5	The MRL accommodates post-harvest treatment of the commodity. To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before.
	Cereal grains	5	The MRL accommodates post-harvest treatment of the commodity. To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before.
	Cocoa products	0.01	At or about the limit of determination. The MRL accommodates post-harvest treatment of the commodity. To apply to commodity at point of retail sale or when offered for consumption.
	Dried fruits	0.01	At or about the limit of determination. The MRL accommodates post-harvest treatment of the commodity. To apply to commodity at point of retail sale or when offered for consumption.
	Dried fruits	2	The MRL accommodates post-harvest treatment of the commodity. To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before.
	Milled cereals products	0.01	At or about the limit of determination. The MRL accommodates post-harvest treatment of the commodity. To apply to commodity at point of retail sale or when offered for

SUBSTANCE	COMMODITY	MRL	REMARK
			consumption.
	Milled cereals products	1	The MRL accommodates post-harvest treatment of the commodity. To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before.
	Peanut	0.01	At or about the limit of determination. The MRL accommodates post-harvest treatment of the commodity. To apply to commodity at point of retail sale or when offered for consumption.
	Peanut	10	The MRL accommodates post-harvest treatment of the commodity. To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before.
	Tree nuts	10	The MRL accommodates post-harvest treatment of the commodity. To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before.
	Tree nuts	0.01	At or about the limit of determination. The MRL accommodates post-harvest treatment of the commodity. To apply to commodity at point of retail sale or when offered for consumption.
Metrafenone – (278) Functional class: Fungicide	Barley	0.5	
	Barley straw and fodder, Dry	6	Dry Weight
	Cucumber	0.2	
	Dried grapes (=currants, raisins	20	

SUBSTANCE	COMMODITY	MRL	REMARK
	and sultanas)		
	Edible offal (mammalian)	0.01	
	Eggs	0.01	At or about the limit of determination
	Gherkin	0.2	
	Grapes	5	
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Mushrooms	0.5	
	Oat straw and fodder, Dry	6	Dry Weight
	Oats	0.5	
	Peppers Chili	2	
	Peppers Chili, dried	20	
	Peppers, Sweet (including pimento or pimienta)	2	
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Rye	0.06	
	Rye straw and fodder, Dry	10	Dry Weight
	Squash, summer	0.06	
	Strawberry	0.6	
	Tomato	0.4	
	Triticale	0.06	
	Triticale straw and fodder, Dry	10	Dry Weight
	Wheat	0.06	

SUBSTANCE	COMMODITY	MRL	REMARK
	Wheat bran, Processed	0.25	
	Wheat straw and fodder, Dry	10	Dry Weight
	Wheat wholemeal	0.08	
Myclobutanil – (181) Functional class: Fungicide	Beans, except broad bean and soya bean	0.8	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.05	
	Bulb vegetables	0.06	
	Cherries (includes all commodities in this subgroup)	3	
	Currants, Black, Red, White	0.9	
	Dried grapes (=currants, raisins and sultanas)	6	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Fruiting vegetables, Cucurbits	0.2	
	Grapes	0.9	
	Hops, Dry	5	
	Leafy vegetables	0.05	
	Legume animal feeds	0.2	
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	3	
	Peppers	3	
	Peppers Chili, dried	20	

SUBSTANCE	COMMODITY	MRL	REMARK
	Plums (including prunes) (includes all commodities in this subgroup)	2	
	Pome fruits	0.6	
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Root and tuber vegetables	0.06	
	Straw and fodder (dry) of cereal grains	0.3	
	Strawberry	0.8	
	Tomato	0.3	
Napropamide – (EC number 239-333-3) Pesticide Type: Herbicide	All fruits except pome fruits and stone fruits	0.05	Expiration date of accreditation: 31/12/2020
	Pome fruits and stone fruits	0.1	
	All vegetables except tomatoes and head cabbages	0.05	
	Tomatoes and head cabbages	0.1	
Novaluron – (217) Functional class: Insecticide	Beans (dry)	0.1	
	Blueberries	7	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.7	
	Chard	15	
	Common bean (pods and/or immature seeds)	0.7	
	Cotton seed	0.5	
	Edible offal (mammalian)	0.7	
	Eggs	0.1	
	Fruiting vegetables other than cucurbits	0.7	Except sweet corn

SUBSTANCE	COMMODITY	MRL	REMARK
	Fruiting vegetables, Cucurbits	0.2	
	Meat (from mammals other than marine mammals)	10	The MRL/EMRL applies to the fat of meat
	Milk fats	7	
	Milks	0.4	
	Mustard greens	25	
	Pome fruits	3	
	Potato	0.01	At or about the limit of determination
	Poultry meat	0.5	The MRL/EMRL applies to the fat of meat
	Poultry, Edible offal of	0.1	
	Prunes	3	
	Soya bean (immature seeds)	0.01	At or about the limit of determination
	Stone fruits	7	
	Strawberry	0.5	
	Sugar cane	0.5	
	Sweet corn fodder	40	
Omethoate – (55) Functional class: Insecticide	Spices, Fruits and Berries	0.01	Residues of omethoate resulting from the use of dimethoate
	Spices, Roots and Rhizomes	0.05	Residues of omethoate resulting from the use of dimethoate
Oxadiargyl – (EC number 254-637-6) Pesticide Type: Herbicide	All fruits & vegetables	0.01	
Oxadiazon – (EC number 243-215-	All fruits & vegetables	0.05	Expiration date of accreditation: 31/12/2018

SUBSTANCE	COMMODITY	MRL	REMARK
7) Pesticide Type: Herbicide			
Oxamyl – (126) Functional class: Insecticide	Carrot	0.1	
	Citrus fruits	5	
	Cotton seed	0.2	
	Cucumber	2	
	Edible offal of cattle, goats & sheep	0.02	At or about the limit of determination
	Eggs	0.02	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.02	At or about the limit of determination
	Melons, except watermelon	2	
	Milks	0.02	At or about the limit of determination
	Peanut	0.05	
	Peanut fodder	0.2	
	Peppers, Sweet (including pimento or pimiento)	2	
	Potato	0.1	
	Poultry meat	0.02	At or about the limit of determination
	Poultry, Edible offal of	0.02	At or about the limit of determination
	Spices, Fruits and Berries	0.07	
	Spices, Roots and Rhizomes	0.05	
	Tomato	2	
Oxydemeton-Methyl – (166)	Barley	0.02	At or about the limit of determination
	Barley straw and fodder, Dry	0.1	

SUBSTANCE	COMMODITY	MRL	REMARK
Functional class: Insecticide	Cattle fat	0.05	At or about the limit of determination
	Cauliflower	0.01	At or about the limit of determination
	Common bean (dry)	0.1	
	Cotton seed	0.05	
	Eggs	0.05	At or about the limit of determination
	Kale (including: Collards, Curly, Scotch, thousand-headed kale; not including Marrow-stem kele)	0.01	At or about the limit of determination
	Kohlrabi	0.05	
	Lemon	0.2	
	Meat of cattle & sheep	0.05	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Pear	0.05	
	Potato	0.01	At or about the limit of determination
	Poultry fats	0.05	At or about the limit of determination
	Poultry meat	0.05	At or about the limit of determination
	Rye	0.02	At or about the limit of determination
	Rye straw and fodder, Dry	0.1	
	Sheep fat	0.05	At or about the limit of determination
	Sugar beet	0.01	At or about the limit of determination
	Wheat	0.02	At or about the limit of determination
	Wheat straw and fodder, Dry	0.1	
Paraquat – (57) Functional class: Herbicide	Almond hulls	0.01	At or about the limit of determination
	Assorted tropical and sub-tropical fruits - inedible peel	0.01	At or about the limit of determination
	Berries and other small fruits	0.01	At or about the limit of determination
	Citrus fruits	0.02	

SUBSTANCE	COMMODITY	MRL	REMARK
	Cotton seed	2	
	Edible offal (mammalian)	0.05	
	Eggs	0.005	At or about the limit of determination
	Fruiting vegetables other than cucurbits	0.05	
	Fruiting vegetables, Cucurbits	0.02	
	Hops, Dry	0.1	
	Leafy vegetables	0.07	
	Maize	0.03	
	Maize flour	0.05	
	Maize fodder (dry)	10	Dry Weight
	Meat (from mammals other than marine mammals)	0.005	
	Milks	0.005	At or about the limit of determination
	Pome fruits	0.01	At or about the limit of determination
	Poultry meat	0.005	At or about the limit of determination
	Poultry, Edible offal of	0.005	At or about the limit of determination
	Pulses	0.5	
	Rice	0.05	
	Rice straw and fodder, Dry	0.05	
	Root and tuber vegetables	0.05	
	Sorghum	0.03	
	Sorghum straw and fodder, Dry	0.3	Dry Weight
	Soya bean fodder	0.5	Dry Weight
	Stone fruits	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Sunflower seed	2	
	Table Olives	0.1	
	Tea, Green, Black (black, fermented and dried)	0.2	
	Tree nuts	0.05	
Parathion – (58) Functional class: Insecticide	Spices, Fruits and Berries	0.2	
	Spices, Roots and Rhizomes	0.2	
	Spices, Seeds	0.1	At or about the limit of determination
Parathion-Methyl – (59) Functional class: Insecticide	Apple	0.2	
	Beans (dry)	0.05	At or about the limit of determination
	Cabbages, Head	0.05	
	Dried grapes (=currants, raisins and sultanas)	1	
	Grapes	0.5	
	Nectarine	0.3	
	Peach	0.3	
	Peas (dry)	0.3	
	Potato	0.05	At or about the limit of determination
	Spices, Fruits and Berries	5	
	Spices, Roots and Rhizomes	3	
	Spices, Seeds	5	
	Sugar beet	0.05	At or about the limit of determination
	Cattle meat	0.05	At or about the limit of determination
Penconazole – (182) Functional class:	Cattle milk	0.01	At or about the limit of determination
	Cattle, Edible offal of	0.05	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
Fungicide	Chicken eggs	0.05	At or about the limit of determination
	Chicken meat	0.05	At or about the limit of determination
	Cucumber	0.1	
	Dried grapes (=currants, raisins and sultanas)	0.5	
	Grapes	0.2	
	Hops, Dry	0.5	
	Melons, except watermelon	0.1	
	Nectarine	0.1	
	Peach	0.1	
	Pome fruits	0.2	
	Strawberry	0.1	
	Tomato	0.2	
Penthiopyrad – (253) Functional class: Fungicide	Alfalfa fodder	20	
	Almond hulls	6	
	Barley	0.2	
	Barley straw and fodder, Dry	80	
	Beans, except broad bean and soya bean	3	Green pods and immature seeds
	Beans, Shelled	0.3	
	Cabbages, Head	4	
	Carrot	0.6	
	Celery	15	
	Cotton gin trash	20	
	Cotton seed	0.5	
	Edible offal (mammalian)	0.08	

SUBSTANCE	COMMODITY	MRL	REMARK
	Eggs	0.03	
	Flowerhead brassicas (includes Broccoli, Chinese and Cauliflower)	5	
	Fruiting vegetables other than cucurbits	2	Except sweet corn and mushroom
	Fruiting vegetables, Cucurbits	0.5	
	Leafy vegetables	30	Except brassica leafy vegetables
	Maize	0.01	
	Maize flour	0.05	
	Maize oil, Crude	0.15	
	Mammalian fats (except milk fats)	0.05	
	Meat (from mammals other than marine mammals)	0.04	
	Milks	0.04	
	Millet (Including Barnyard, Bulrush, Common, Finger, Foxtail and Little Millet)	0.8	
	Millet fodder, dry	10	
	Oat straw and fodder, Dry	80	
	Oats	0.2	
	Onion, Bulb	0.7	
	Onion, Welsh	4	
	Pea hay or pea fodder (dry)	60	
	Peanut	0.05	
	Peanut fodder	30	
	Peanut oil, Edible	0.5	
	Peas (pods and succulent=immature seeds)	3	
	Peas, Shelled (succulent seeds)	0.3	

SUBSTANCE	COMMODITY	MRL	REMARK
	Peppers Chili, dried	14	
	Pome fruits	0.4	
	Potato	0.05	
	Poultry fats	0.03	
	Poultry meat	0.03	
	Poultry, Edible offal of	0.03	
	Pulses	0.3	Except soya beans
	Radish	3	
	Rape seed	0.5	
	Rape seed oil, Crude	1	
	Rapeseed oil, Edible	1	
	Rye	0.1	
	Rye straw and fodder, Dry	80	
	Sorghum	0.8	
	Sorghum straw and fodder, Dry	10	
	Soya bean (dry)	0.3	
	Soya bean fodder	200	
	Spring Onion	4	
	Stone fruits	4	
	Strawberry	3	
	Sugar beet	0.5	
	Sunflower seed	1.5	
	Sweet corn (corn-on-the-cob)	0.02	
	Tree nuts	0.05	
	Triticale	0.1	
	Triticale straw and fodder, Dry	80	

SUBSTANCE	COMMODITY	MRL	REMARK
	Turnip greens	50	
	Wheat	0.1	
	Wheat bran, Processed	0.1	
	Wheat bran, Unprocessed	0.2	
	Wheat germ	0.2	
	Wheat straw and fodder, Dry	80	
Permethrin – (120) Functional class: Insecticide	Alfalfa fodder	100	Dry Weight
	Almonds	0.1	
	Asparagus	1	
	Beans (dry)	0.1	
	Blackberries	1	
	Broccoli	2	
	Brussels sprouts	1	
	Cabbage, Savoy	5	
	Cabbages, Head	5	
	Carrot	0.1	
	Cauliflower	0.5	
	Celery	2	
	Cereal grains	2	The MRL accommodates post-harvest treatment of the commodity
	Chinese cabbage (type pe-tsai)	5	
	Citrus fruits	0.5	
	Coffee beans	0.05	At or about the limit of determination
	Common bean (pods and/or immature seeds)	1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Cotton seed	0.5	
	Cotton seed oil, Edible	0.1	
	Cucumber	0.5	
	Currants, Black, Red, White	2	
	Dewberries (including boysenberry and loganberry)	1	
	Edible offal (mammalian)	0.1	The MRL accommodates external animal treatment
	Egg plant	1	
	Eggs	0.1	
	Gherkin	0.5	
	Gooseberry	2	
	Grapes	2	
	Hops, Dry	50	
	Horseradish	0.5	
	Kale (including: Collards, Curly, Scotch, thousand-headed kale; not including Marrow-stem kele)	5	
	Kiwifruit	2	
	Kohlrabi	0.1	
	Leek	0.5	
	Lettuce, Head	2	
	Maize fodder (dry)	100	Dry Weight
	Meat (from mammals other than marine mammals)	1	The MRL/EMRL applies to the fat of meat. The MRL accommodates external animal treatment.

SUBSTANCE	COMMODITY	MRL	REMARK
	Melons, except watermelon	0.1	
	Milks	undefined	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products"
	Mushrooms	0.1	
	Peanut	0.1	
	Peas, Shelled (succulent seeds)	0.1	
	Peppers	1	
	Peppers Chili, dried	10	
	Pistachio nuts	0.05	At or about the limit of determination
	Pome fruits	2	
	Potato	0.05	At or about the limit of determination
	Poultry meat	0.1	
	Radish, Japanese	0.1	
	Rape seed	0.05	At or about the limit of determination
	Raspberries, Red, Black	1	
	Sorghum straw and fodder, Dry	20	
	Soya bean (dry)	0.05	At or about the limit of determination
	Soya bean fodder	50	Dry Weight
	Soya bean oil, Crude	0.1	
	Spices	0.05	At or about the limit of determination
	Spinach	2	
	Spring Onion	0.5	
	Squash, summer	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Stone fruits	2	
	Strawberry	1	
	Sugar beet	0.05	At or about the limit of determination
	Sunflower seed	1	
	Sunflower seed oil, Edible	1	
	Sunflower seed oil, crude	1	
	Sweet corn (corn-on-the-cob)	0.1	
	Sweet corn fodder	50	
	Table Olives	1	
	Tea, Green, Black (black, fermented and dried)	20	
	Tomato	1	
	Wheat bran, Unprocessed	5	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat flour	0.5	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat germ	2	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat wholemeal	2	The MRL accommodates post-harvest treatment of the primary food commodity
	Winter squash	0.5	
Phenthoate – (128) Functional class: Insecticide	Spices, Seeds	7	

SUBSTANCE	COMMODITY	MRL	REMARK
Phorate – (112) Functional class: Insecticide	Beans (dry)	0.05	At or about the limit of determination
	Coffee beans	0.05	At or about the limit of determination
	Common bean (pods and/or immature seeds)	0.05	At or about the limit of determination
	Cotton seed	0.05	At or about the limit of determination
	Edible offal (mammalian)	0.02	At or about the limit of determination
	Eggs	0.05	At or about the limit of determination
	Maize	0.05	At or about the limit of determination
	Maize flour	0.05	
	Maize oil, Crude	0.1	
	Maize oil, Edible	0.02	
	Meat (from mammals other than marine mammals)	0.02	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Potato	0.3	
	Poultry meat	0.05	At or about the limit of determination
	Sorghum	0.05	At or about the limit of determination
	Soya bean (dry)	0.05	At or about the limit of determination
	Spices, Fruits and Berries	0.1	At or about the limit of determination
	Spices, Roots and Rhizomes	0.1	At or about the limit of determination
	Spices, Seeds	0.5	
	Sugar beet	0.05	At or about the limit of determination
Phosalone – (60) Functional class: Insecticide	Almonds	0.1	
	Apple	5	
	Hazelnuts	0.05	At or about the limit of determination
	Pome fruits	2	

SUBSTANCE	COMMODITY	MRL	REMARK
	Spices, Fruits and Berries	2	
	Spices, Roots and Rhizomes	3	
	Spices, Seeds	2	
	Stone fruits	2	
	Walnuts	0.05	At or about the limit of determination
Phosmet – (103) Functional class: Insecticide	Apricot	10	
	Blueberries	10	
	Cattle meat	1	The MRL/EMRL applies to the fat of meat
	Citrus fruits	3	
	Cotton seed	0.05	
	Cranberry	3	
	Grapes	10	
	Milks	0.02	
	Nectarine	10	
	Peach	10	
	Pome fruits	10	
	Potato	0.05	At or about the limit of determination
	Tree nuts	0.2	
Picoxystrobin – (258) Functional class: Fungicide	Acerola	99	
Piperonyl	Cattle kidney	0.3	The MRL accommodates external animal treatment

SUBSTANCE	COMMODITY	MRL	REMARK
Butoxide – (62) Functional class: Synergist	Cattle liver	1	
	Cattle meat	5	The MRL/EMRL applies to the fat of meat. The MRL accommodates external animal treatment.
	Cattle milk	0.2	The MRL accommodates external animal treatment
	Cereal grains	30	The MRL accommodates post-harvest treatment of the commodity
	Citrus fruits	5	
	Citrus juice	0.05	
	Dried fruits	0.2	The MRL accommodates post-harvest treatment of the commodity
	Eggs	1	The MRL accommodates external animal treatment
	Fruiting vegetables, Cucurbits	1	
	Kidney of cattle, goats and sheep	0.2	Except cattle kidney
	Lettuce, Leaf	50	
	Liver of cattle, goats & sheep	1	
	Maize oil, Crude	80	The MRL accommodates post-harvest treatment of the primary food commodity
	Meat (from mammals other than marine mammals)	2	The MRL/EMRL applies to the fat of meat. Except cattle meat.
	Milks	0.05	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products"
	Mustard greens	50	
	Pea hay or pea fodder (dry)	200	Dry Weight

SUBSTANCE	COMMODITY	MRL	REMARK
	Peanut, whole	1	
	Peppers	2	
	Peppers Chili, dried	20	
	Poultry meat	7	The MRL/EMRL applies to the fat of meat. The MRL accommodates external animal treatment.
	Poultry, Edible offal of	10	
	Pulses	0.2	The MRL accommodates post-harvest treatment of the commodity
	Radish leaves (including radish tops)	50	
	Root and tuber vegetables	0.5	Except carrot
	Spinach	50	
	Tomato	2	
	Tomato juice	0.3	
	Wheat bran, Unprocessed	80	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat flour	10	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat germ	90	The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat wholemeal	30	The MRL accommodates post-harvest treatment of the primary food commodity
Pirimicarb – (101) Functional class: Aphicide	Artichoke, Globe	5	
	Asparagus	0.01	At or about the limit of determination
	Berries and other small fruits	1	Except strawberries and grapes

SUBSTANCE	COMMODITY	MRL	REMARK
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.5	
	Cereal grains	0.05	Except rice
	Citrus fruits	3	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Fruiting vegetables other than cucurbits	0.5	Except edible fungi and Sweet corn
	Fruiting vegetables, Cucurbits	1	Except melons and watermelons
	Garlic	0.1	
	Kale (including: Collards, Curly, Scotch, thousand-headed kale; not including Marrow-stem kele)	0.3	
	Legume vegetables	0.7	Except soya bean
	Lettuce, Head	5	
	Lettuce, Leaf	5	
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Melons, except watermelon	0.2	
	Milks	0.01	At or about the limit of determination
	Onion, Bulb	0.1	
	Pea hay or pea fodder (dry)	60	Dry Weight
	Peppers Chili, dried	20	
	Pome fruits	1	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Pulses	0.2	Except soya bean (dry)

SUBSTANCE	COMMODITY	MRL	REMARK
	Rape seed	0.05	
	Root and tuber vegetables	0.05	
	Spices, Seeds	5	
	Stone fruits	3	
	Straw and fodder (dry) of cereal grains	0.3	Dry Weight. Except rice straw and fodder, dry.
	Sunflower seed	0.1	
	Sweet corn (kernels)	0.05	
Pirimiphos-Methyl – (86) Functional class: Insecticide	Cereal grains	7	The MRL accommodates post-harvest treatment of the commodity
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Spices, Fruits and Berries	0.5	
	Spices, Seeds	3	
	Wheat bran, Unprocessed	15	The MRL accommodates post-harvest treatment of the primary food commodity
Prochloraz – (142) Functional class: Fungicide	Assorted tropical and sub-tropical fruits - inedible peel	7	The MRL accommodates post-harvest treatment of the commodity
	Cereal grains	2	
	Citrus fruits	10	The MRL accommodates post-harvest treatment of the commodity

SUBSTANCE	COMMODITY	MRL	REMARK
	Edible offal (mammalian)	10	
	Eggs	0.1	
	Linseed	0.05	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.5	The MRL/EMRL applies to the fat of meat
	Milks	0.05	At or about the limit of determination
	Mushrooms	3	
	Pepper, Black; White	10	
	Poultry meat	0.05	At or about the limit of determination
	Poultry, Edible offal of	0.2	
	Rape seed	0.7	
	Straw and fodder (dry) of cereal grains	40	
	Sunflower seed	0.5	
	Sunflower seed oil, Edible	1	
	Wheat bran, Unprocessed	7	
Profenofos – (171) Functional class: Insecticide	Cotton seed	3	
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Eggs	0.02	At or about the limit of determination
	Mango	0.2	
	Mangostan	10	
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Peppers Chili	3	
	Peppers Chili, dried	20	

SUBSTANCE	COMMODITY	MRL	REMARK
	Poultry meat	0.05	At or about the limit of determination
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Spices, Fruits and Berries	0.07	
	Spices, Roots and Rhizomes	0.05	
	Teas (Tea and herb teas)	0.5	
	Tomato	10	
Propamocarb – (148) Functional class: Fungicide	Broccoli	3	
	Brussels sprouts	2	
	Cauliflower	2	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Egg plant	0.3	
	Eggs	0.01	At or about the limit of determination
	Fruiting vegetables, Cucurbits	5	
	Leek	30	
	Lettuce, Head	100	
	Lettuce, Leaf	100	
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Onion, Bulb	2	
	Peppers Chili, dried	10	
	Peppers, Sweet (including pimento or pimienta)	3	
	Potato	0.3	
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Radish	1	
	Spinach	40	
	Tomato	2	
	Witloof chicory (sprouts)	2	
Propargite – (113) Functional class: Acaricide	Almond hulls	50	
	Almonds	0.1	At or about the limit of determination
	Apple	3	
	Apple juice	0.2	
	Beans (dry)	0.3	
	Broad bean (dry)	0.3	
	Chick-pea (dry)	0.3	
	Citrus fruits	3	
	Citrus pulp, Dry	10	
	Cotton seed	0.1	
	Cotton seed oil, Edible	0.2	
	Dried grapes (=currants, raisins and sultanas)	12	
	Edible offal (mammalian)	0.1	At or about the limit of determination
	Eggs	0.1	At or about the limit of determination
	Grape juice	1	
	Grape pomace, Dry	40	
	Grapes	7	
	Hops, Dry	100	
	Lipin (dry)	0.3	

SUBSTANCE	COMMODITY	MRL	REMARK
	Maize	0.1	At or about the limit of determination
	Maize flour	0.2	
	Maize oil, Crude	0.7	
	Maize oil, Edible	0.5	
	Meat (from mammals other than marine mammals)	0.1	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Milks	0.1	At or about the limit of determination. The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
	Orange juice	0.3	
	Peanut	0.1	At or about the limit of determination
	Peanut oil, Crude	0.3	
	Peanut oil, Edible	0.3	
	Potato	0.03	
	Poultry meat	0.1	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.1	At or about the limit of determination
	Stone fruits	4	
	Tea, Green, Black (black, fermented and dried)	5	
	Tomato	2	
	Walnuts	0.3	
Propiconazole –	Banana	0.1	

SUBSTANCE	COMMODITY	MRL	REMARK
(160) Functional class: Fungicide	Barley	0.2	
	Barley straw and fodder, Dry	8	
	Coffee beans	0.02	
	Cranberry	0.3	
	Edible offal (mammalian)	0.5	
	Eggs	0.01	At or about the limit of determination
	Maize	0.05	
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Milks	0.01	At or about the limit of determination
	Oat straw and fodder, Dry	8	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	9	The MRL accommodates post-harvest treatment of the commodity
	Peach	5	The MRL accommodates post-harvest treatment of the commodity
	Pecan	0.02	At or about the limit of determination
	Pineapple	0.02	At or about the limit of determination
	Plums (including prunes) (includes all commodities in this subgroup)	0.6	The MRL accommodates post-harvest treatment of the commodity
	Popcorn	0.05	
	Poultry meat	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Rape seed	0.02	

SUBSTANCE	COMMODITY	MRL	REMARK
	Rye	0.02	
	Rye straw and fodder, Dry	15	
	Soya bean (dry)	0.07	
	Soya bean fodder	5	
	Sugar beet	0.02	
	Sugar cane	0.02	At or about the limit of determination
	Sweet corn (corn-on-the-cob)	0.05	
	Tomato	3	The MRL accommodates post-harvest treatment of the commodity
	Triticale	0.02	
	Triticale straw and fodder, Dry	15	
	Wheat	0.02	
	Wheat straw and fodder, Dry	15	
Prothioconazole – (232) Functional class: Fungicide	Barley	0.2	
	Bush berries	1.5	
	Cranberry	0.15	
	Edible offal (mammalian)	0.5	
	Fodder (dry) of cereal grains	5	
	Fruiting vegetables, Cucurbits	0.2	Except watermelon
	Maize	0.1	
	Maize fodder (dry)	15	
	Meat (from mammals other than marine mammals)	0.01	
	Milks	0.004	At or about the limit of determination
	Oats	0.05	
	Peanut	0.02	At or about the limit of determination
	Peanut fodder	15	

SUBSTANCE	COMMODITY	MRL	REMARK
	Popcorn	0.1	
	Potato	0.02	At or about the limit of determination
	Pulses	1	Except soya bean, dry
	Rape seed	0.1	
	Rye	0.05	
	Soya bean (dry)	0.2	
	Straw and fodder (dry) of cereal grains	4	
	Sugar beet	0.3	
	Sweet corn (corn-on-the-cob)	0.02	
	Sweet corn fodder	15	
	Triticale	0.05	
	Wheat	0.1	
Pymetrozine – (279) Functional class: Insecticide	Acerola	undefined	
Pyraclostrobin – (210) Functional class: Fungicide	Alfalfa fodder	30	
	Apple	0.5	
	Artichoke, Globe	2	
	Banana	0.02	At or about the limit of determination
	Barley	1	
	Beans (dry)	0.2	
	Blackberries	3	
	Blueberries	4	
	Brussels sprouts	0.3	

SUBSTANCE	COMMODITY	MRL	REMARK
	Cabbages, Head	0.2	
	Cantaloupe	0.2	
	Carrot	0.5	
	Cherries (includes all commodities in this subgroup)	3	Includes all commodities in this subgroup
	Citrus fruits	2	
	Citrus oil, edible	10	
	Coffee beans	0.3	
	Dried grapes (=currants, raisins and sultanas)	5	
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Egg plant	0.3	
	Eggs	0.05	At or about the limit of determination
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	0.1	
	Fruiting vegetables, Cucurbits	0.5	
	Garlic	0.15	
	Grapes	2	
	Hops, Dry	15	
	Kale (including: Collards, Curly, Scotch, thousand-headed kale; not including Marrow-stem kale)	1	
	Leek	0.7	
	Lentil (dry)	0.5	
	Lettuce, Head	2	
	Maize	0.02	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Mango	0.05	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.5	The MRL/EMRL applies to the fat of meat
	Milks	0.03	
	Oats	1	
	Oilseed, except peanut	0.4	
	Onion, Bulb	1.5	
	Papaya	0.15	
	Pea hay or pea fodder (dry)	30	
	Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	0.3	
	Peanut fodder	50	
	Peanut, whole	0.02	At or about the limit of determination
	Peas (dry)	0.3	
	Peas (pods and succulent=immature seeds)	0.02	At or about the limit of determination
	Peppers	0.5	
	Pistachio nuts	1	
	Plums (including prunes) (includes all commodities in this subgroup)	0.8	Includes all commodities in this subgroup
	Potato	0.02	At or about the limit of determination
	Poultry meat	0.05	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Radish	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Radish leaves (including radish tops)	20	
	Raspberries, Red, Black	3	
	Rye	0.2	
	Sorghum	0.5	
	Soya bean (dry)	0.05	
	Spelt	0.2	
	Spring Onion	1.5	
	Straw and fodder (dry) of cereal grains	30	
	Strawberry	1.5	
	Sugar beet	0.2	
	Tomato	0.3	
	Tree nuts	0.02	At or about the limit of determination. Except pistachio nuts.
	Triticale	0.2	
	Wheat	0.2	
Pyrethrins – (63) Functional class: Insecticide	Cereal grains	0.3	The MRL accommodates post-harvest treatment of the commodity
	Citrus fruits	0.05	
	Dried fruits	0.2	The MRL accommodates post-harvest treatment of the commodity
	Fruiting vegetables, Cucurbits	0.05	At or about the limit of determination
	Pea hay or pea fodder (dry)	1	
	Peanut	0.5	The MRL accommodates post-harvest treatment of the commodity
	Peppers	0.05	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Peppers Chili, dried	0.5	
	Pulses	0.1	The MRL accommodates post-harvest treatment of the commodity
	Root and tuber vegetables	0.05	At or about the limit of determination
	Tomato	0.05	At or about the limit of determination
	Tree nuts	0.5	At or about the limit of determination. The MRL accommodates post-harvest treatment of the commodity.
Pyrimethanil – (226) Functional class: Fungicide	Almond hulls	12	
	Almonds	0.2	
	Apricot	3	
	Banana	0.1	
	Carrot	1	
	Cherries (includes all commodities in this subgroup)	4	The MRL accommodates post-harvest treatment of the commodity
	Citrus fruits	7	The MRL accommodates post-harvest treatment of the commodity
	Common bean (pods and/or immature seeds)	3	
	Dried grapes (=currants, raisins and sultanas)	5	
	Edible offal (mammalian)	0.1	
	Field pea (dry)	0.5	
	Ginseng, dried including red ginseng	1.5	
	Grapes	4	
	Lettuce, Head	3	
	Low growing berries	3	

SUBSTANCE	COMMODITY	MRL	REMARK
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Milks	0.01	
	Nectarine	4	
	Onion, Bulb	0.2	
	Pea hay or pea fodder (dry)	3	
	Peach	4	
	Plums (including prunes) (includes all commodities in this subgroup)	2	
	Pome fruits	15	The MRL accommodates post-harvest treatment of the commodity
	Potato	0.05	At or about the limit of determination
	Spring Onion	3	
	Sweet corn fodder	40	
	Tomato	0.7	
Pyriproxifen – (200) Functional class: Insecticide	Cattle meat	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Cattle, Edible offal of	0.01	At or about the limit of determination
	Citrus fruits	0.5	
	Cotton seed	0.05	
	Cotton seed oil, Crude	0.01	
	Cotton seed oil, Edible	0.01	
	Goat meat	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Goat, Edible offal of	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
Quinoxyfen – (222) Functional class: Fungicide	Barley	0.01	At or about the limit of determination
	Cherries (includes all commodities in this subgroup)	0.4	
	Currant, Black	1	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Grapes	2	
	Hops, Dry	1	
	Lettuce, Head	8	
	Lettuce, Leaf	20	
	Meat (from mammals other than marine mammals)	0.2	The MRL/EMRL applies to the fat of meat
	Melons, except watermelon	0.1	
	Milk fats	0.2	
	Milks	0.01	
	Peppers	1	
	Peppers Chili, dried	10	
	Poultry meat	0.02	The MRL/EMRL applies to the fat of meat
	Poultry, Edible offal of	0.01	
	Strawberry	1	
	Sugar beet	0.03	
	Wheat	0.01	At or about the limit of determination
Quintozene – (64) Functional class:	Barley	0.01	At or about the limit of determination
	Barley straw and fodder, Dry	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
Fungicide	Broccoli	0.05	
	Cabbages, Head	0.1	
	Chicken meat	0.1	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Chicken, Edible offal of	0.1	At or about the limit of determination
	Common bean (dry)	0.02	
	Common bean (pods and/or immature seeds)	0.1	
	Cotton seed	0.01	
	Eggs	0.03	At or about the limit of determination
	Maize	0.01	At or about the limit of determination
	Maize fodder (dry)	0.01	
	Pea hay or pea fodder (dry)	0.05	
	Peanut	0.5	
	Peas (dry)	0.01	
	Peppers Chili, dried	0.1	
	Peppers, Sweet (including pimento or pimiento)	0.05	At or about the limit of determination
	Soya bean (dry)	0.01	At or about the limit of determination
	Soya bean fodder	0.01	At or about the limit of determination
	Spices, Fruits and Berries	0.02	
	Spices, Roots and Rhizomes	2	
	Spices, Seeds	0.1	
	Sugar beet	0.01	At or about the limit of determination
	Tomato	0.02	

SUBSTANCE	COMMODITY	MRL	REMARK
	Wheat	0.01	
	Wheat straw and fodder, Dry	0.03	
Saflufenacil – (251) Functional class: Herbicide	Banana	0.01	
	Barley straw and fodder, Dry	0.05	
	Cereal grains	0.01	
	Citrus fruits	0.01	
	Coffee beans	0.01	
	Cotton seed	0.2	
	Edible offal (mammalian)	0.3	
	Grapes	0.01	
	Maize fodder (dry)	0.05	
	Mammalian fats (except milk fats)	0.01	
	Meat (from mammals other than marine mammals)	0.01	
	Milks	0.01	
	Peas (pods and succulent=immature seeds)	0.01	
	Peas, Shelled (succulent seeds)	0.01	
	Pome fruits	0.01	
	Pulses	0.3	
	Rape seed	0.6	
	Sorghum straw and fodder, Dry	0.05	
	Soya bean (immature seeds)	0.01	
	Stone fruits	0.01	

SUBSTANCE	COMMODITY	MRL	REMARK
	Sunflower seed	0.7	
	Sweet Corn	0.01	
	Tree nuts	0.01	
	Wheat straw and fodder, Dry	0.05	
Sedaxane – (259) Functional class: Fungicide	Bean fodder	0.01	At or about the limit of determination
	Cereal grains	0.01	At or about the limit of determination
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Milk fats	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Pea hay or pea fodder (dry)	0.01	At or about the limit of determination
	Potato	0.02	
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Pulses	0.01	At or about the limit of determination
	Rape seed	0.01	At or about the limit of determination
	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	0.1	
	Sweet corn (corn-on-the-cob)	0.01	At or about the limit of determination
Spinetoram –	Beans, except broad bean and soya bean	0.05	Green pods and immature seeds

SUBSTANCE	COMMODITY	MRL	REMARK
(233) Functional class: Insecticide	Blueberries	0.2	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.3	
	Celery	6	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Grapes	0.3	
	Lettuce, Head	10	
	Lettuce, Leaf	10	
	Meat (from mammals other than marine mammals)	0.2	The MRL/EMRL applies to the fat of meat
	Milk fats	0.1	
	Milks	0.01	At or about the limit of determination
	Nectarine	0.3	
	Onion, Bulb	0.01	At or about the limit of determination
	Onion, Welsh	0.8	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.07	
	Peach	0.3	
	Pome fruits	0.05	
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Raspberries, Red, Black	0.8	
	Spinach	8	

SUBSTANCE	COMMODITY	MRL	REMARK
	Spring Onion	0.8	
	Sugar beet	0.01	At or about the limit of determination
	Tomato	0.06	
	Tree nuts	0.01	
Spinozad – (203) Functional class: Insecticide	Apple	0.1	
	Blackberries	1	
	Blueberries	0.4	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	2	
	Cattle kidney	1	The MRL accommodates external animal treatment
	Cattle liver	2	The MRL accommodates external animal treatment
	Cattle meat	3	The MRL/EMRL applies to the fat of meat. The MRL accommodates external animal treatment.
	Cattle milk	1	The MRL accommodates external animal treatment
	Cattle milk fat	5	
	Celery	2	
	Cereal grains	1	The MRL accommodates post-harvest treatment of the commodity
	Citrus fruits	0.3	
	Cotton seed	0.01	At or about the limit of determination
	Cotton seed oil, Crude	0.01	At or about the limit of determination
	Cotton seed oil, Edible	0.01	At or about the limit of determination
	Cranberry	0.02	

SUBSTANCE	COMMODITY	MRL	REMARK
	Dewberries (including boysenberry and loganberry)	1	
	Dried grapes (=currants, raisins and sultanas)	1	
	Edible offal (mammalian)	0.5	Except cattle
	Eggs	0.01	
	Fruiting vegetables, Cucurbits	0.2	
	Grapes	0.5	
	Kiwifruit	0.05	
	Leafy vegetables	10	
	Legume vegetables	0.3	
	Maize fodder (dry)	5	
	Meat (from mammals other than marine mammals)	2	The MRL/EMRL applies to the fat of meat
	Onion, Bulb	0.1	
	Passion fruit	0.7	
	Peppers	0.3	
	Peppers Chili, dried	3	
	Potato	0.01	At or about the limit of determination
	Poultry meat	0.2	The MRL/EMRL applies to the fat of meat
	Raspberries, Red, Black	1	
	Soya bean (dry)	0.01	At or about the limit of determination
	Spring Onion	4	
	Stone fruits	0.2	
	Sweet corn (corn-on-the-cob)	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Tomato	0.3	
	Tree nuts	0.07	
	Wheat bran, Unprocessed	2	
	Wheat straw and fodder, Dry	1	
Spirodiclofen – (237) Functional class: Insecticide	Almond hulls	15	
	Avocado	0.9	
	Blueberries	4	
	Citrus fruits	0.4	
	Coffee beans	0.03	At or about the limit of determination
	Cucumber	0.07	
	Currants, Black, Red, White	1	
	Dried grapes (=currants, raisins and sultanas)	0.3	
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Gherkin	0.07	
	Grapes	0.2	
	Hops, Dry	40	
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Milks	0.004	At or about the limit of determination
	Papaya	0.03	At or about the limit of determination
	Peppers, Sweet (including pimento or pimienta)	0.2	
	Pome fruits	0.8	

SUBSTANCE	COMMODITY	MRL	REMARK
	Stone fruits	2	
	Strawberry	2	
	Sweet corn fodder	4	
	Tomato	0.5	
	Tree nuts	0.05	
Spirotetramate – (234) Functional class: Insecticide	Almond hulls	10	
	Artichoke, Globe	1	
	Bush berries	1.5	
	Cabbages, Head	2	
	Celery	4	
	Citrus fruits	0.5	
	Cotton seed	0.4	
	Cotton seed , meal	1	
	Cranberry	0.2	
	Dried grapes (=currants, raisins and sultanas)	4	
	Edible offal (mammalian)	1	
	Eggs	0.01	
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	1	
	Fruiting vegetables other than cucurbits	1	Except sweet corn, mushrooms and chili pepper
	Fruiting vegetables, Cucurbits	0.2	
	Grape pomace, Dry	4	

SUBSTANCE	COMMODITY	MRL	REMARK
	Grapes	2	
	Hops, Dry	15	
	Kiwifruit	0.02	At or about the limit of determination
	Leafy vegetables	7	
	Legume animal feeds	30	
	Legume vegetables	1.5	
	Litchi	15	
	Mango	0.3	
	Meat (from mammals other than marine mammals)	0.05	
	Milks	0.005	
	Onion, Bulb	0.4	
	Papaya	0.4	
	Peppers Chili	2	Non-bell
	Peppers Chili, dried	15	
	Pome fruits	0.7	
	Potato	0.8	
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	
	Prunes	5	
	Pulses	2	Except soya bean (dry)
	Soya bean (dry)	4	
	Stone fruits	3	
	Tree nuts	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
Sulfoxaflor – (252) Functional class: Insecticide	Barley	0.6	
	Barley straw and fodder, Dry	3	
	Beans (dry)	0.3	
	Broccoli	3	
	Cabbages, Head	0.4	
	Carrot	0.05	
	Cauliflower	0.04	
	Celery	1.5	
	Cherries (includes all commodities in this subgroup)	1.5	
	Cotton seed	0.4	
	Dried grapes (=currants, raisins and sultanas)	6	
	Edible offal (mammalian)	0.6	
	Eggs	0.1	
	Fruiting vegetables other than cucurbits	1.5	Except sweet corn and mushrooms
	Fruiting vegetables, Cucurbits	0.5	
	Garlic	0.01	At or about the limit of determination
	Grapes	2	
	Leafy vegetables	6	
	Lemons and limes (including Citron)	0.4	
	Mammalian fats (except milk fats)	0.1	
	Mandarins ((including Mandarin-like hybrids)	0.8	

SUBSTANCE	COMMODITY	MRL	REMARK
	Meat (from mammals other than marine mammals)	0.3	
	Milks	0.2	
	Onion, Bulb	0.01	At or about the limit of determination
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.8	
	Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	0.4	
	Peppers Chili, dried	15	
	Plums (including prunes) (includes all commodities in this subgroup)	0.5	
	Pome fruits	0.3	
	Poultry fats	0.03	
	Poultry meat	0.1	
	Poultry, Edible offal of	0.3	
	Pummelo and Grapefruits (including Shaddock-like hybrids, among others Grapefruit)	0.15	
	Rape seed	0.15	
	Root and tuber vegetables	0.03	Except carrots
	Soya bean (dry)	0.3	
	Soya bean fodder	3	
	Spring Onion	0.7	
	Strawberry	0.5	
	Triticale	0.2	
	Wheat	0.2	

SUBSTANCE	COMMODITY	MRL	REMARK
	Wheat straw and fodder, Dry	3	
Sulfuryl fluoride – (218) Functional class: Fumigant	Bran, Unprocessed of cereal grain (except buckwheat, cañihua and quinoa)	0.1	The MRL accommodates post-harvest treatment of the commodity
	Cereal bran, Processed	0.1	The MRL accommodates post-harvest treatment of the commodity
	Cereal grains	0.05	The MRL accommodates post-harvest treatment of the commodity
	Dried fruits	0.06	The MRL accommodates post-harvest treatment of the commodity
	Maize flour	0.1	The MRL accommodates post-harvest treatment of the commodity
	Maize meal	0.1	The MRL accommodates post-harvest treatment of the commodity
	Rice, Husked	0.1	The MRL accommodates post-harvest treatment of the commodity
	Rice, Polished	0.1	The MRL accommodates post-harvest treatment of the commodity
	Rye flour	0.1	The MRL accommodates post-harvest treatment of the commodity
	Rye wholemeal	0.1	The MRL accommodates post-harvest treatment of the commodity
	Tree nuts	3	The MRL accommodates post-harvest treatment of the commodity
	Wheat flour	0.1	The MRL accommodates post-harvest treatment of the commodity
	Wheat germ	0.1	The MRL accommodates post-harvest treatment of the commodity
	Wheat wholemeal	0.1	The MRL accommodates post-harvest treatment of the commodity
Tebuconazole – (189) Functional class:	Apple	1	
	Apricot	2	
	Artichoke, Globe	0.6	

SUBSTANCE	COMMODITY	MRL	REMARK
Fungicide	Banana	0.05	
	Barley	2	
	Barley straw and fodder, Dry	40	
	Beans (dry)	0.3	
	Broccoli	0.2	
	Brussels sprouts	0.3	
	Cabbages, Head	1	
	Carrot	0.4	
	Cauliflower	0.05	At or about the limit of determination
	Cherries (includes all commodities in this subgroup)	4	
	Coffee beans	0.1	
	Cotton seed	2	
	Cucumber	0.15	
	Dried grapes (=currants, raisins and sultanas)	7	
	Edible offal (mammalian)	0.2	
	Egg plant	0.1	
	Eggs	0.05	At or about the limit of determination
	Elderberries	1.5	
	Garlic	0.1	
	Grapes	6	
	Hops, Dry	40	
	Leek	0.7	

SUBSTANCE	COMMODITY	MRL	REMARK
	Lettuce, Head	5	
	Mango	0.05	
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Melons, except watermelon	0.15	
	Milks	0.01	At or about the limit of determination
	Nectarine	2	
	Oats	2	
	Onion, Bulb	0.1	
	Papaya	2	
	Passion fruit	0.1	
	Peach	2	
	Peanut	0.15	
	Peanut fodder	40	
	Pear	1	
	Peppers Chili, dried	10	
	Peppers, Sweet (including pimento or pimienta)	1	
	Plums (including prunes) (includes all commodities in this subgroup)	1	Except prunes
	Poultry meat	0.05	At or about the limit of determination
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Prunes	3	
	Rape seed	0.3	
	Rice	1.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Rye	0.15	
	Rye straw and fodder, Dry	40	
	Soya bean (dry)	0.15	
	Squash, summer	0.2	
	Sweet corn (corn-on-the-cob)	0.6	
	Table Olives	0.05	At or about the limit of determination
	Tomato	0.7	
	Tree nuts	0.05	At or about the limit of determination
	Triticale	0.15	
	Wheat	0.15	
	Wheat straw and fodder, Dry	40	
Tebufenozide – (196) Functional class: Insecticide	Almond hulls	30	
	Almonds	0.05	
	Avocado	1	
	Blueberries	3	
	Broccoli	0.5	
	Cabbages, Head	5	
	Cattle milk	0.05	
	Citrus fruits	2	
	Cranberry	0.5	
	Dried grapes (=currants, raisins and sultanas)	2	
	Edible offal (mammalian)	0.02	At or about the limit of determination
	Eggs	0.02	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Grapes	2	
	Kiwifruit	0.5	
	Leafy vegetables	10	
	Meat (from mammals other than marine mammals)	0.05	The MRL/EMRL applies to the fat of meat
	Milks	0.01	At or about the limit of determination
	Mints	20	
	Nectarine	0.5	
	Peach	0.5	
	Pecan	0.01	At or about the limit of determination
	Peppers	1	
	Peppers Chili, dried	10	
	Pome fruits	1	
	Poultry meat	0.02	At or about the limit of determination
	Rape seed	2	
	Raspberries, Red, Black	2	
	Rice, Husked	0.1	
	Sugar cane	1	
	Tomato	1	
	Walnuts	0.05	
Tecnazene – (115) Functional class: Fungicide	Potato	20	The MRL accommodates post-harvest treatment of the commodity. Washed before analysis.
Teflubenzuron –	Brussels sprouts	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
(190) Functional class: Insect growth regulator	Cabbages, Head	0.2	
	Plums (including prunes) (includes all commodities in this subgroup)	0.1	
	Pome fruits	1	
	Potato	0.05	At or about the limit of determination
Terbufos – (167) Functional class: Nematocide	Banana	0.05	
	Coffee beans	0.05	At or about the limit of determination
	Edible offal (mammalian)	0.05	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Maize	0.01	At or about the limit of determination
	Maize fodder (dry)	0.2	
	Meat (from mammals other than marine mammals)	0.05	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Poultry meat	0.05	At or about the limit of determination
	Poultry, Edible offal of	0.05	At or about the limit of determination
	Sorghum	0.01	At or about the limit of determination
	Sorghum straw and fodder, Dry	0.3	Dry Weight
	Sugar beet	0.02	
	Sweet corn (corn-on-the-cob)	0.01	
Thiabendazole – (65) Functional class: Fungicide	Avocado	15	The MRL accommodates post-harvest treatment of the commodity
	Banana	5	The MRL accommodates post-harvest treatment of the commodity
	Cattle kidney	1	
	Cattle liver	0.3	
	Cattle meat	0.1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Cattle milk	0.2	
	Citrus fruits	7	The MRL accommodates post-harvest treatment of the commodity
	Eggs	0.1	
	Mango	5	The MRL accommodates post-harvest treatment of the commodity
	Mushrooms	60	
	Papaya	10	The MRL accommodates post-harvest treatment of the commodity
	Pome fruits	3	The MRL accommodates post-harvest treatment of the commodity
	Potato	15	The MRL accommodates post-harvest treatment of the commodity
	Poultry meat	0.05	
	Witloof chicory (sprouts)	0.05	At or about the limit of determination
Thiacloprid – (223) Functional class: Insecticide	Almond hulls	10	
	Berries and other small fruits	1	
	Cotton seed	0.02	At or about the limit of determination
	Cucumber	0.3	
	Edible offal (mammalian)	0.5	
	Egg plant	0.7	
	Eggs	0.02	At or about the limit of determination
	Kiwifruit	0.2	
	Meat (from mammals other than marine mammals)	0.1	
	Melons, except watermelon	0.2	
	Milks	0.05	

SUBSTANCE	COMMODITY	MRL	REMARK
	Mustard seed	0.5	
	Peppers, Sweet (including pimento or pimiento)	1	
	Pome fruits	0.7	
	Potato	0.02	At or about the limit of determination
	Poultry meat	0.02	At or about the limit of determination
	Poultry, Edible offal of	0.02	At or about the limit of determination
	Rape seed	0.5	
	Rice	0.02	At or about the limit of determination
	Squash, summer	0.3	
	Stone fruits	0.5	
	Tomato	0.5	
	Tree nuts	0.02	
	Watermelon	0.2	
	Wheat	0.1	
	Wheat straw and fodder, Dry	5	
	Winter squash	0.2	
Thiamethoxam – (245) Functional class: Insecticide	Artichoke, Globe	0.5	
	Avocado	0.5	
	Banana	0.02	At or about the limit of determination
	Barley	0.4	
	Barley straw and fodder, Dry	2	
	Beans, except broad bean and soya bean	0.3	
	Berries and other small fruits	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	5	
	Cacao beans	0.02	At or about the limit of determination
	Celery	1	
	Citrus fruits	0.5	
	Coffee beans	0.2	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Fruiting vegetables other than cucurbits	0.7	
	Fruiting vegetables, Cucurbits	0.5	
	Hops, Dry	0.09	
	Leafy vegetables	3	
	Legume vegetables	0.01	At or about the limit of determination
	Maize	0.05	
	Maize fodder (dry)	0.05	
	Mango	0.2	
	Meat (from mammals other than marine mammals)	0.02	
	Milks	0.05	
	Mints	1.5	
	Oilseed	0.02	At or about the limit of determination
	Papaya	0.01	At or about the limit of determination
	Pea hay or pea fodder (dry)	0.3	
	Pecan	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Peppers Chili, dried	7	
	Pineapple	0.01	At or about the limit of determination
	Pome fruits	0.3	
	Popcorn	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Pulses	0.04	
	Root and tuber vegetables	0.3	
	Stone fruits	1	
	Sweet corn (corn-on-the-cob)	0.01	At or about the limit of determination
	Tea, Green, Black (black, fermented and dried)	20	
	Wheat	0.05	
	Wheat straw and fodder, Dry	2	
Tolclofos-Methyl – (191) Functional class: Fungicide	Lettuce, Head	2	
	Lettuce, Leaf	2	
	Potato	0.2	
	Radish	0.1	
Tolfenpyrad – (269) Functional class: Insecticide	Tea, green	30	
Tolyfluanid – (162) Functional class:	Blackberries	5	
	Cucumber	1	
	Currants, Black, Red, White	0.5	

SUBSTANCE	COMMODITY	MRL	REMARK
Fungicide	Grapes	3	
	Hops, Dry	50	
	Leek	2	
	Lettuce, Head	15	
	Peppers Chili, dried	20	
	Peppers, Sweet (including pimento or pimiento)	2	
	Pome fruits	5	
	Raspberries, Red, Black	5	
	Strawberry	5	
	Tomato	3	
Triadimefon – (133) Functional class: Fungicide	Apple	0.3	Based on triadimenol use only
	Artichoke, Globe	0.7	Based on triadimenol use only
	Banana	1	Based on triadimenol use only
	Cereal grains	0.2	Except maize and rice. Based on triadimefon and triadimenol uses
	Coffee beans	0.5	Based on triadimenol use only
	Currants, Black, Red, White	0.7	Based on triadimenol use only
	Dried grapes (=currants, raisins and sultanas)	1	Based on triadimenol uses
	Edible offal (mammalian)	0.01	At or about the limit of determination. Based on triadimefon and triadimenol uses.
	Eggs	0.01	At or about the limit of determination. Based on triadimefon and triadimenol uses.
	Fruiting vegetables other than cucurbits	1	Except fungi and sweet corn. Based on triadimefon and triadimenol uses.

SUBSTANCE	COMMODITY	MRL	REMARK
	Fruiting vegetables, Cucurbits	0.2	Based on triadimenol use only
	Grapes	0.3	
	Meat (from mammals other than marine mammals)	0.02	Based on triadimefon and triadimenol uses
	Milks	0.01	At or about the limit of determination. Based on triadimefon and triadimenol uses.
	Peppers Chili, dried	5	Based on triadimefon and triadimenol uses
	Pineapple	5	The MRL accommodates post-harvest treatment of the commodity. Based on triadimenol use only.
	Poultry meat	0.01	At or about the limit of determination. Based on triadimefon and triadimenol uses.
	Poultry, Edible offal of	0.01	At or about the limit of determination. Based on triadimefon and triadimenol uses.
	Straw and fodder (dry) of cereal grains	5	Except maize. Based on triadimefon and triadimenol uses
	Strawberry	0.7	Based on triadimenol use only
	Sugar beet	0.05	At or about the limit of determination. Based on triadimenol use only.
Triadimenol – (168) Functional class: Fungicide	Apple	0.3	
	Artichoke, Globe	0.7	
	Banana	1	
	Cereal grains	0.2	Except maize and rice
	Coffee beans	0.5	
	Currants, Black, Red, White	0.7	

SUBSTANCE	COMMODITY	MRL	REMARK
	Dried grapes (=currants, raisins and sultanas)	1	Based on triadimenol uses
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Eggs	0.01	At or about the limit of determination
	Fruiting vegetables other than cucurbits	1	Except fungi and sweet corn
	Fruiting vegetables, Cucurbits	0.2	
	Grapes	0.3	
	Meat (from mammals other than marine mammals)	0.02	
	Milks	0.01	At or about the limit of determination. The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
	Peppers Chili, dried	5	
	Pineapple	5	The MRL accommodates post-harvest treatment of the commodity
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.01	At or about the limit of determination
	Straw and fodder (dry) of cereal grains	5	Except maize
	Strawberry	0.7	
	Sugar beet	0.05	At or about the limit of determination
Triazophos – (143) Functional class: Insecticide	Cotton seed	0.2	
	Cotton seed oil, Crude	1	
	Rice, Polished	0.6	
	Soya bean (immature seeds)	0.5	
	Soya bean (young pod)	1	

SUBSTANCE	COMMODITY	MRL	REMARK
	Spices, Fruits and Berries	0.07	
	Spices, Roots and Rhizomes	0.1	
Trifloxystrobin – (213) Functional class: Fungicide	Almond hulls	3	
	Asparagus	0.05	At or about the limit of determination
	Banana	0.05	
	Barley	0.5	
	Barley straw and fodder, Dry	7	
	Brussels sprouts	0.1	
	Cabbages, Head	0.5	
	Carrot	0.1	
	Celery	1	
	Citrus fruits	0.5	
	Citrus pulp, Dry	1	
	Dried grapes (=currants, raisins and sultanas)	5	
	Egg plant	0.7	
	Eggs	0.04	At or about the limit of determination
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	0.5	
	Fruiting vegetables, Cucurbits	0.3	
	Grapes	3	
	Hops, Dry	40	
	Kidney of cattle, goats and sheep	0.04	At or about the limit of determination
	Leek	0.7	

SUBSTANCE	COMMODITY	MRL	REMARK
	Lettuce, Head	15	
	Liver of cattle, goats & sheep	0.05	
	Maize	0.02	
	Maize fodder (dry)	10	
	Meat (from mammals other than marine mammals)	0.05	The MRL/EMRL applies to the fat of meat
	Milks	0.02	At or about the limit of determination
	Olive oil, Refined	1.2	
	Olive oil, Virgin	0.9	
	Papaya	0.6	
	Peanut	0.02	At or about the limit of determination
	Peanut fodder	5	
	Peppers, Sweet (including pimento or pimienta)	0.3	
	Pome fruits	0.7	
	Potato	0.02	At or about the limit of determination
	Poultry meat	0.04	At or about the limit of determination. The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.04	At or about the limit of determination
	Radish	0.08	
	Radish leaves (including radish tops)	15	
	Rice	5	
	Rice bran, Unprocessed	7	
	Rice straw and fodder, Dry	10	

SUBSTANCE	COMMODITY	MRL	REMARK
	Stone fruits	3	
	Strawberry	1	
	Sugar beet	0.05	
	Sugar beet molasses	0.1	
	Sugar beet pulp, Dry	0.2	
	Table Olives	0.3	
	Tomato	0.7	
	Tree nuts	0.02	At or about the limit of determination
	Wheat	0.2	
	Wheat bran, Unprocessed	0.5	
	Wheat straw and fodder, Dry	5	
Triflumizole – (270) Functional class: Fungicide	Cherries (includes all commodities in this subgroup)	4	
	Cucumber	0.5	
	Edible offal (mammalian)	0.1	
	Grapes	3	
	Hops, Dry	30	
	Mammalian fats (except milk fats)	0.02	
	Meat (from mammals other than marine mammals)	0.03	The MRL/EMRL applies to the fat of meat
	Milks	0.02	At or about the limit of determination
	Papaya	2	
Triforine – (116) Functional class: Fungicide	Blueberries	0.03	
	Edible offal (mammalian)	0.01	At or about the limit of determination
	Egg plant	1	
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.01	At or about the limit of determination
	Tomato	0.7	
Trinexapac-ethyl – (271) Functional class: Plant growth regulator	Barley	3	
	Barley bran, processed	6	
	Barley straw and fodder, Dry	0.9	Dry Weight
	Edible offal (mammalian)	0.1	
	Eggs	0.01	At or about the limit of determination
	Mammalian fats (except milk fats)	0.01	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01	At or about the limit of determination
	Milks	0.005	At or about the limit of determination
	Oat straw and fodder, Dry	0.9	Dry Weight
	Oats	3	
	Poultry fats	0.01	At or about the limit of determination
	Poultry meat	0.01	At or about the limit of determination
	Poultry, Edible offal of	0.05	
	Rape seed	1.5	
	Sugar cane	0.5	
	Triticale	3	
	Triticale straw and fodder, Dry	0.9	Dry Weight
	Wheat	3	
	Wheat bran, Unprocessed	8	
	Wheat straw and fodder, Dry	0.9	Dry Weight
Vinclozolin – (159) Functional class:	Spices	0.05	At or about the limit of determination

SUBSTANCE	COMMODITY	MRL	REMARK
Fungicide			
Zoxamide – (227) Functional class: Fungicide	Dried grapes (=currants, raisins and sultanas)	15	
	Fruiting vegetables, Cucurbits	2	
	Grapes	5	
	Potato	0.02	
	Tomato	2	

REFERENCES

- Codex Pesticides Residues in Food Online Database
<http://www.fao.org/fao-who-codexalimentarius/standards/pestres/en/>
- EU 2013 MRL database
<http://ec.europa.eu/food/plant/pesticides/eu-pesticides-database/public/?event=pesticide.residue.selection&language=EN>